

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-009	<i>No significant mineralization</i>						140	-75	167	554639	5533662	Miller
MI-19-010	<i>No significant mineralization</i>						315	-60	170	554649	5533576	Miller
MI-19-011	<i>No significant mineralization</i>						140	-60	161	554686	5533605	Miller
MI-19-012	<i>No significant mineralization</i>						320	-60	236	554786	5533550	Miller
MI-19-013	46.0	228.0	182.0	1.01	1.09	1.09	140	-85	251	554575	5533604	Miller
<i>including</i>	46.0	50.0	4.0	6.44	9.15	9.15						
<i>and incl.</i>	47.0	48.0	1.0	24.37	35.19	35.19						
<i>and incl.</i>	88.0	109.0	21.0	2.71	2.73	2.73						
<i>and incl.</i>	107.0	113.0	6.0	4.24	3.95	3.95						
<i>and incl.</i>	134.0	147.0	13.0	2.69	2.67	2.67						
MI-19-014	3.0	210.0	207.0	1.57	1.57	1.57	140	-85	245	554567	5533581	Miller
<i>including</i>	42.0	91.0	49.0	2.31	2.34	2.34						
<i>and incl.</i>	56.0	70.0	14.0	4.47	4.53	4.53						
<i>and incl.</i>	60.0	61.0	1.0	26.43	<i>n/a</i>	26.43						
<i>and incl.</i>	142.0	183.0	41.0	4.17	4.07	4.07						
<i>and incl.</i>	168.0	182.0	14.0	7.57	7.38	7.38						
<i>and incl.</i>	168.0	169.0	1.0	55.28	<i>n/a</i>	55.28						
MI-19-015	1.0	168.0	167.0	0.97	1.01	1.01	140	-85	224	554551	5533566	Miller
<i>including</i>	1.0	26.0	25.0	1.62	<i>n/a</i>	1.62						
<i>and incl.</i>	5.0	8.0	3.0	5.40	<i>n/a</i>	5.40						
<i>and incl.</i>	108.0	141.0	33.0	1.66	1.84	1.84						
<i>and incl.</i>	120.0	122.0	2.0	5.82	<i>n/a</i>	5.82						
MI-19-016	<i>No significant mineralization</i>						320	-45	278	554525	5533603	Miller

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-017	6.0	7.0	1.0	1.48	<i>n/a</i>	1.48	140	-85	242	554500	5533516	Miller
and	32.0	201.0	169.0	0.90	0.88	0.88						
<i>including</i>	<i>56.0</i>	<i>93.0</i>	<i>37.0</i>	<i>3.56</i>	<i>3.42</i>	<i>3.42</i>						
<i>and incl.</i>	<i>79.0</i>	<i>93.0</i>	<i>14.0</i>	<i>7.66</i>	<i>7.27</i>	<i>7.27</i>						
<i>and incl.</i>	<i>83.0</i>	<i>84.0</i>	<i>1.0</i>	<i>65.97</i>	<i>n/a</i>	<i>65.97</i>						
<i>and incl.</i>	<i>85.0</i>	<i>86.0</i>	<i>1.0</i>	<i>11.00</i>	<i>n/a</i>	<i>11.00</i>						
MI-19-018	18.0	141.0	123.0	0.88	0.86	0.86	120	-85	212	554471	5533500	Miller
<i>including</i>	<i>67.0</i>	<i>141.0</i>	<i>74.0</i>	<i>1.22</i>	<i>1.18</i>	<i>1.18</i>						
<i>and incl.</i>	<i>100.0</i>	<i>134.0</i>	<i>34.0</i>	<i>2.20</i>	<i>2.08</i>	<i>2.08</i>						
<i>and incl.</i>	<i>105.0</i>	<i>106.0</i>	<i>1.0</i>	<i>6.49</i>	<i>n/a</i>	<i>6.49</i>						
<i>and incl.</i>	<i>113.0</i>	<i>114.0</i>	<i>1.0</i>	<i>12.91</i>	<i>n/a</i>	<i>12.91</i>						
<i>and incl.</i>	<i>129.0</i>	<i>130.0</i>	<i>1.0</i>	<i>26.59</i>	<i>23.96</i>	<i>23.96</i>						
and	168.0	169.0	1.0	4.24	<i>n/a</i>	4.24						
MI-19-019	65.0	101.0	36.0	0.40	0.41	0.41	320	-55	176	554472	5533425	Miller
<i>including</i>	<i>68.0</i>	<i>69.0</i>	<i>1.0</i>	<i>2.78</i>	<i>n/a</i>	<i>2.78</i>						
<i>and incl.</i>	<i>83.0</i>	<i>85.0</i>	<i>2.0</i>	<i>2.09</i>	<i>n/a</i>	<i>2.09</i>						
<i>and incl.</i>	<i>100.0</i>	<i>101.0</i>	<i>1.0</i>	<i>1.88</i>	<i>1.62</i>	<i>1.62</i>						
MI-19-020	133.0	139.0	6.0	1.66	1.77	1.77	290	-55	215	554440	5533387	Miller
<i>including</i>	<i>134.0</i>	<i>135.0</i>	<i>1.0</i>	<i>8.15</i>	<i>n/a</i>	<i>8.15</i>						
MI-19-021	111.0	118.0	7.0	0.98	0.99	0.99	320	-60	173	554396	5533364	Miller
<i>including</i>	<i>112.0</i>	<i>113.0</i>	<i>1.0</i>	<i>4.78</i>	<i>n/a</i>	<i>4.78</i>						
MI-19-022	115.0	122.0	7.0	0.62	0.82	0.82	320	-60	167	554356	5533327	Miller
<i>including</i>	<i>119.0</i>	<i>120.0</i>	<i>1.0</i>	<i>1.56</i>	<i>n/a</i>	<i>1.56</i>						
<i>and incl.</i>	<i>121.0</i>	<i>122.0</i>	<i>1.0</i>	<i>1.18</i>	<i>2.58</i>	<i>2.58</i>						
MI-19-023	127.0	128.0	1.0	0.34	<i>n/a</i>	0.34	320	-60	164	554319	5533298	Miller
and	138.0	139.0	1.0	0.18	<i>n/a</i>	0.18						

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-024	85.0	86.0	1.0	0.51	<i>n/a</i>	0.51	320	-60	146	554277	5533273	Miller
and	133.0	140.0	7.0	1.72	<i>n/a</i>	1.72						
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>5.49</i>	<i>n/a</i>	<i>5.49</i>						
<i>and incl.</i>	<i>139.0</i>	<i>140.0</i>	<i>1.0</i>	<i>6.50</i>	<i>n/a</i>	<i>6.50</i>						
MI-19-025	53.0	64.0	11.0	0.61	<i>n/a</i>	0.61	140	-65	176	554220	5533373	Miller
<i>including</i>	<i>58.0</i>	<i>59.0</i>	<i>1.0</i>	<i>1.89</i>	<i>n/a</i>	<i>1.89</i>						
<i>and incl.</i>	<i>63.0</i>	<i>64.0</i>	<i>1.0</i>	<i>4.54</i>	<i>n/a</i>	<i>4.54</i>						
and	84.0	85.0	1.0	1.02	3.86	3.86						
and	101.0	106.0	5.0	0.79	0.81	0.81						
<i>including</i>	<i>104.0</i>	<i>105.0</i>	<i>1.0</i>	<i>2.04</i>	<i>n/a</i>	<i>2.04</i>						
MI-19-026	103.3	107.05	3.8	0.42	<i>n/a</i>	0.42	140	-60	161	554252	5533408	Miller
<i>including</i>	<i>103.3</i>	<i>104.3</i>	<i>1.0</i>	<i>1.26</i>	<i>n/a</i>	<i>1.26</i>						
MI-19-027	21.0	22.0	1.0	1.69	<i>n/a</i>	1.69	140	-60	128	554297	5533437	Miller
and	100.0	107.0	7.0	1.50	<i>n/a</i>	1.50						
<i>including</i>	<i>106.0</i>	<i>107.0</i>	<i>1.0</i>	<i>4.64</i>	<i>n/a</i>	<i>4.64</i>						
MI-19-028	59.0	77.0	18.0	0.81	<i>n/a</i>	0.81	140	-45	125	554297	5533437	Miller
<i>including</i>	<i>59.0</i>	<i>61.0</i>	<i>2.0</i>	<i>1.27</i>	<i>n/a</i>	<i>1.27</i>						
<i>and incl.</i>	<i>69.0</i>	<i>77.0</i>	<i>8.0</i>	<i>1.48</i>	<i>n/a</i>	<i>1.48</i>						
<i>and incl.</i>	<i>70.0</i>	<i>71.0</i>	<i>1.0</i>	<i>7.51</i>	<i>n/a</i>	<i>7.51</i>						
MI-19-029	147.0	172.0	25.0	0.12	<i>n/a</i>	0.12	135	-70	203	554335	5533480	Miller
MI-19-030	36.0	40.0	4.0	4.03	<i>n/a</i>	4.03	140	-45	113	554335	5533480	Miller
<i>including</i>	<i>38.0</i>	<i>39.0</i>	<i>1.0</i>	<i>15.33</i>	<i>n/a</i>	<i>15.33</i>						
and	48.0	83.0	35.0	0.25	<i>n/a</i>	0.25						
<i>including</i>	<i>61.0</i>	<i>63.0</i>	<i>2.0</i>	<i>1.62</i>	<i>n/a</i>	<i>1.62</i>						
MI-19-031	<i>No significant mineralization</i>						315	-45	185	554273	5533529	Miller

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-032	39.0	143.0	104.0	0.23	0.25	0.25	0	-90	212	554367	5533434	Miller
<i>including</i>	60.0	80.0	20.0	0.40	<i>n/a</i>	0.40						
<i>and incl.</i>	79.0	80.0	1.0	3.56	<i>n/a</i>	3.56						
<i>and incl.</i>	107.0	143.0	36.0	0.34	0.38	0.38						
<i>and incl</i>	126.0	127.0	1.0	5.50	<i>n/a</i>	5.50						
MI-19-033	<i>No significant mineralization</i>						0	-90	155	554306	5533372	Miller
MI-19-034	129.0	141.0	12.0	1.55	1.62	1.62	0	-90	179	554251	5533338	Miller
<i>including</i>	133.0	134.0	1.0	17.24	18.07	18.07						
MI-19-035	<i>No significant mineralization</i>						325	-45	200	554240	5533232	Miller
MI-19-036	<i>No significant mineralization</i>						325	-65	197	554240	5533232	Miller
MI-19-037	127.0	142.0	15.0	0.17	<i>n/a</i>	0.17	27	-45	287	554845	5533592	Miller
<i>including</i>	135.0	136.0	1.0	1.11	<i>n/a</i>	1.11						
MI-19-038	29.0	29.32	0.3	0.49	<i>n/a</i>	0.49	106	-45	185	554843	5533591	Miller
MI-19-039	<i>No significant mineralization</i>						108	-45	185	554614	5533526	Miller
MI-19-040	60.0	119.0	59.0	0.64	1.35	1.35	287	-45	212	554616	5533525	Miller
<i>including</i>	60.0	93.0	33.0	0.96	2.23	2.23						
<i>and incl.</i>	60.0	62.0	2.0	5.91	<i>n/a</i>	5.91						
<i>and incl.</i>	78.0	93.0	15.0	1.09	3.88	3.88						
<i>and incl.</i>	80.88	81.88	1.0	0.49	6.83	6.83						
<i>and incl.</i>	86.88	87.88	1.0	8.55	44.07	44.07						
GL-19-001	<i>No significant mineralization</i>						0	-45	161	546604	5527909	New Target
GL-19-002	<i>No significant mineralization</i>						34	-45	170	546604	5527909	New Target

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-003	23.57	25.00	1.43	14.85	10.91	10.91	335	-74	197	547642	5528090	Main Zone (Zone 2)
and	44.00	47.00	3.00	0.62	<i>n/a</i>	0.62						
<i>including</i>	<i>45.00</i>	<i>46.00</i>	<i>1.00</i>	<i>1.51</i>	<i>n/a</i>	<i>1.51</i>						
and	72.10	74.10	2.00	0.25	<i>n/a</i>	0.25						
and	102.40	107.46	5.06	0.95	<i>n/a</i>	0.95						
<i>including</i>	<i>106.62</i>	<i>107.46</i>	<i>0.84</i>	<i>4.57</i>	<i>n/a</i>	<i>4.57</i>						
GL-19-004	32.86	36.21	3.35	1.28	<i>n/a</i>	1.28	335	-84	257	547642	5528090	Main Zone (Zone 2)
and	51.90	55.05	3.15	0.60	<i>n/a</i>	0.60						
and	149.91	155.00	5.09	1.72	<i>n/a</i>	1.72						
<i>including</i>	<i>149.91</i>	<i>151.00</i>	<i>1.09</i>	<i>4.73</i>	<i>n/a</i>	<i>4.73</i>						
and	166.00	172.00	6.00	1.57	<i>n/a</i>	1.57						
<i>including</i>	<i>166.00</i>	<i>167.00</i>	<i>1.00</i>	<i>3.03</i>	<i>n/a</i>	<i>3.03</i>						
<i>and incl.</i>	<i>170.00</i>	<i>172.00</i>	<i>2.00</i>	<i>2.47</i>	<i>n/a</i>	<i>2.47</i>						
GL-19-005	58.90	64.00	5.10	0.33	<i>n/a</i>	0.33	335	-77	242	547702	5528089	Main Zone (Zone 2)
and	83.00	84.00	1.00	0.30	<i>n/a</i>	0.30						
and	133.00	135.00	2.00	1.98	<i>n/a</i>	1.98						
<i>including</i>	<i>133.00</i>	<i>134.00</i>	<i>1.00</i>	<i>3.58</i>	<i>n/a</i>	<i>3.58</i>						
and	169.30	174.00	4.70	1.05	<i>n/a</i>	1.05						
<i>including</i>	<i>172.21</i>	<i>174.00</i>	<i>1.79</i>	<i>2.40</i>	<i>n/a</i>	<i>2.40</i>						
and	189.00	195.00	6.00	0.52	<i>n/a</i>	0.52						

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-006	82.00	86.00	4.00	3.08	n/a	3.08	335	-86	167	547702	5528089	Main Zone (Zone 2)
<i>including</i>	83.00	85.00	2.00	5.72	n/a	5.72						
<i>and incl.</i>	83.00	83.67	0.67	9.53	n/a	9.53						
and	107.00	114.00	7.00	0.96	n/a	0.96						
<i>including</i>	107.00	108.00	1.00	3.14	n/a	3.14						
<i>and incl.</i>	112.00	114.00	2.00	1.63	n/a	1.63						
and	134.00	134.50	0.50	1.80	n/a	1.80						
and	137.54	137.85	0.31	5.13	n/a	5.13						
and	147.76	148.09	0.33	48.03	n/a	48.03						
GL-19-008	1.40	25.00	23.60	0.33	n/a	0.33	335	-85	125	547722	5528154	Main Zone (Zone 2)
<i>including</i>	10.00	16.00	6.00	1.06	n/a	1.06						
<i>and incl.</i>	13.00	15.00	2.00	1.90	n/a	1.90						
and	57.00	66.00	9.00	0.82	n/a	0.82						
and	83.00	104.00	21.00	6.49	5.36	5.36						
<i>including</i>	88.00	89.00	1.00	5.49	n/a	5.49						
<i>and incl.</i>	96.00	97.00	1.00	113.43	89.60	89.60						
GL-19-010	69.00	84.00	15.00	1.68	n/a	1.68	335	-77	176	547746	5528102	Main Zone (Zone 2, 3)
<i>including</i>	69.00	70.00	1.00	8.02	n/a	8.02						
<i>and incl.</i>	71.00	72.00	1.00	4.86	n/a	4.86						
<i>and incl.</i>	80.00	81.00	1.00	4.89	n/a	4.89						
and	143.00	148.00	5.00	1.26	n/a	1.26						
<i>including</i>	147.00	148.00	1.00	5.24	n/a	5.24						
and	167.00	175.00	8.00	0.97	n/a	0.97						

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-012	9.40	9.71	0.31	0.69	n/a	0.69	335	-73	182	547774	5528162	Main Zone (Zone 2)
and	48.00	65.00	17.00	1.11	n/a	1.11						
<i>including</i>	<i>48.00</i>	<i>53.00</i>	<i>5.00</i>	<i>2.27</i>	<i>n/a</i>	<i>2.27</i>						
<i>and incl.</i>	<i>48.00</i>	<i>49.00</i>	<i>1.00</i>	<i>4.14</i>	<i>n/a</i>	<i>4.14</i>						
and	86.00	87.00	1.00	3.59	n/a	3.59						
and	96.00	97.00	1.00	0.98	n/a	0.98						
and	103.00	104.00	1.00	0.74	n/a	0.74						
GL-19-013	32.00	34.00	2.00	0.66	n/a	0.66	335	-62	101	547774	5528162	Main Zone (Zone 2)
and	63.00	77.00	14.00	1.15	n/a	1.15						
<i>including</i>	<i>70.00</i>	<i>77.00</i>	<i>7.00</i>	<i>2.20</i>	<i>n/a</i>	<i>2.20</i>						
<i>and incl.</i>	<i>70.00</i>	<i>71.00</i>	<i>1.00</i>	<i>5.32</i>	<i>n/a</i>	<i>5.32</i>						
<i>and incl.</i>	<i>75.00</i>	<i>76.00</i>	<i>1.00</i>	<i>9.42</i>	<i>n/a</i>	<i>9.42</i>						
GL-19-014	25.00	27.00	2.00	0.75	n/a	0.75	335	-45	95	547774	5528162	Main Zone (Zone 2)
and	36.00	37.00	1.00	4.07	n/a	4.07						
and	56.00	58.00	2.00	0.71	n/a	0.71						

***Notes:**

- Assaying for the Miller drill program was completed by SGS Canada Inc. ("SGS") at their laboratory in Lakefield, Ontario. Assaying for the Main Zone drill program was completed by SGS at their laboratories in Red Lake, Ontario and Vancouver, BC. Prepared 50 g samples were analyzed for gold by lead fusion fire assay with an atomic absorption spectrometry ("AAS") finish. Multi-element analysis was also completed on selected holes by two-acid aqua regia digestion with ICP-MS and AES finish.
- Reported widths are drilled core lengths; true widths are unknown at this time. Assay values are uncut.
- Final collar coordinates surveyed by differential GPS.
- Intervals for Miller holes MI-19-013 through MI-19-015, MI-19-017 through MI-19-022, MI-19-025, MI-19-032, MI-19-034 and MI-19-040, and Goldlund Main Zone holes GL-19-003 and GL-19-008 include results of selected assay repeats. These repeats were done by screened metallic fire assay on 1 kg size samples at the SGS laboratories in Lakefield and Vancouver. Final Au grade includes results of metallic screen fire assay reruns ("metallics"), where completed.
- Additional 'shoulder' sampling around narrow mineralized zones in holes GL-19-004 and GL-19-006 is currently in progress (assays not yet available).