

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-009	<i>No significant mineralization</i>						140	-75	167	554639	5533662	Miller
MI-19-010	<i>No significant mineralization</i>						315	-60	170	554649	5533576	Miller
MI-19-011	<i>No significant mineralization</i>						140	-60	161	554686	5533605	Miller
MI-19-012	<i>No significant mineralization</i>						320	-60	236	554786	5533550	Miller
MI-19-013	46.0	228.0	182.0	1.01	1.09	1.09	140	-85	251	554575	5533604	Miller
<i>including</i>	46.0	50.0	4.0	6.44	9.15	9.15						
<i>and incl.</i>	47.0	48.0	1.0	24.37	35.19	35.19						
<i>and incl.</i>	88.0	109.0	21.0	2.71	2.73	2.73						
<i>and incl.</i>	107.0	113.0	6.0	4.24	3.95	3.95						
<i>and incl.</i>	134.0	147.0	13.0	2.69	2.67	2.67						
MI-19-014	3.0	210.0	207.0	1.57	1.57	1.57	140	-85	245	554567	5533581	Miller
<i>including</i>	42.0	91.0	49.0	2.31	2.34	2.34						
<i>and incl.</i>	56.0	70.0	14.0	4.47	4.53	4.53						
<i>and incl.</i>	60.0	61.0	1.0	26.43	<i>n/a</i>	26.43						
<i>and incl.</i>	142.0	183.0	41.0	4.17	4.07	4.07						
<i>and incl.</i>	168.0	182.0	14.0	7.57	7.38	7.38						
<i>and incl.</i>	168.0	169.0	1.0	55.28	<i>n/a</i>	55.28						
MI-19-015	1.0	168.0	167.0	0.97	1.01	1.01	140	-85	224	554551	5533566	Miller
<i>including</i>	1.0	26.0	25.0	1.62	<i>n/a</i>	1.62						
<i>and incl.</i>	5.0	8.0	3.0	5.40	<i>n/a</i>	5.40						
<i>and incl.</i>	108.0	141.0	33.0	1.66	1.84	1.84						
<i>and incl.</i>	120.0	122.0	2.0	5.82	<i>n/a</i>	5.82						
MI-19-016	<i>No significant mineralization</i>						320	-45	278	554525	5533603	Miller

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-017	6.0	7.0	1.0	1.48	<i>n/a</i>	1.48	140	-85	242	554500	5533516	Miller
and	32.0	201.0	169.0	0.90	0.88	0.88						
<i>including</i>	<i>56.0</i>	<i>93.0</i>	<i>37.0</i>	<i>3.56</i>	<i>3.42</i>	<i>3.42</i>						
<i>and incl.</i>	<i>79.0</i>	<i>93.0</i>	<i>14.0</i>	<i>7.66</i>	<i>7.27</i>	<i>7.27</i>						
<i>and incl.</i>	<i>83.0</i>	<i>84.0</i>	<i>1.0</i>	<i>65.97</i>	<i>n/a</i>	<i>65.97</i>						
<i>and incl.</i>	<i>85.0</i>	<i>86.0</i>	<i>1.0</i>	<i>11.00</i>	<i>n/a</i>	<i>11.00</i>						
MI-19-018	18.0	141.0	123.0	0.88	0.86	0.86	120	-85	212	554471	5533500	Miller
<i>including</i>	<i>67.0</i>	<i>141.0</i>	<i>74.0</i>	<i>1.22</i>	<i>1.18</i>	<i>1.18</i>						
<i>and incl.</i>	<i>100.0</i>	<i>134.0</i>	<i>34.0</i>	<i>2.20</i>	<i>2.08</i>	<i>2.08</i>						
<i>and incl.</i>	<i>105.0</i>	<i>106.0</i>	<i>1.0</i>	<i>6.49</i>	<i>n/a</i>	<i>6.49</i>						
<i>and incl.</i>	<i>113.0</i>	<i>114.0</i>	<i>1.0</i>	<i>12.91</i>	<i>n/a</i>	<i>12.91</i>						
<i>and incl.</i>	<i>129.0</i>	<i>130.0</i>	<i>1.0</i>	<i>26.59</i>	<i>23.96</i>	<i>23.96</i>						
and	168.0	169.0	1.0	4.24	<i>n/a</i>	4.24						
MI-19-019	65.0	101.0	36.0	0.40	0.41	0.41	320	-55	176	554472	5533425	Miller
<i>including</i>	<i>68.0</i>	<i>69.0</i>	<i>1.0</i>	<i>2.78</i>	<i>n/a</i>	<i>2.78</i>						
<i>and incl.</i>	<i>83.0</i>	<i>85.0</i>	<i>2.0</i>	<i>2.09</i>	<i>n/a</i>	<i>2.09</i>						
<i>and incl.</i>	<i>100.0</i>	<i>101.0</i>	<i>1.0</i>	<i>1.88</i>	<i>1.62</i>	<i>1.62</i>						
MI-19-020	133.0	139.0	6.0	1.66	1.77	1.77	290	-55	215	554440	5533387	Miller
<i>including</i>	<i>134.0</i>	<i>135.0</i>	<i>1.0</i>	<i>8.15</i>	<i>n/a</i>	<i>8.15</i>						
MI-19-021	111.0	118.0	7.0	0.98	0.99	0.99	320	-60	173	554396	5533364	Miller
<i>including</i>	<i>112.0</i>	<i>113.0</i>	<i>1.0</i>	<i>4.78</i>	<i>n/a</i>	<i>4.78</i>						
MI-19-022	115.0	122.0	7.0	0.62	0.82	0.82	320	-60	167	554356	5533327	Miller
<i>including</i>	<i>119.0</i>	<i>120.0</i>	<i>1.0</i>	<i>1.56</i>	<i>n/a</i>	<i>1.56</i>						
<i>and incl.</i>	<i>121.0</i>	<i>122.0</i>	<i>1.0</i>	<i>1.18</i>	<i>2.58</i>	<i>2.58</i>						
MI-19-023	127.0	128.0	1.0	0.34	<i>n/a</i>	0.34	320	-60	164	554319	5533298	Miller
and	138.0	139.0	1.0	0.18	<i>n/a</i>	0.18						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target	
MI-19-024	85.0	86.0	1.0	0.51	<i>n/a</i>	0.51	320	-60	146	554277	5533273	Miller	
and	133.0	140.0	7.0	1.72	<i>n/a</i>	1.72							
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>5.49</i>	<i>n/a</i>	<i>5.49</i>							
<i>and incl.</i>	<i>139.0</i>	<i>140.0</i>	<i>1.0</i>	<i>6.50</i>	<i>n/a</i>	<i>6.50</i>							
MI-19-025	53.0	64.0	11.0	0.61	<i>n/a</i>	0.61	140	-65	176	554220	5533373	Miller	
<i>including</i>	<i>58.0</i>	<i>59.0</i>	<i>1.0</i>	<i>1.89</i>	<i>n/a</i>	<i>1.89</i>							
<i>and incl.</i>	<i>63.0</i>	<i>64.0</i>	<i>1.0</i>	<i>4.54</i>	<i>n/a</i>	<i>4.54</i>							
and	84.0	85.0	1.0	1.02	3.86	3.86							
and	101.0	106.0	5.0	0.79	0.81	0.81							
<i>including</i>	<i>104.0</i>	<i>105.0</i>	<i>1.0</i>	<i>2.04</i>	<i>n/a</i>	<i>2.04</i>							
MI-19-026	103.3	107.05	3.8	0.42	<i>n/a</i>	0.42	140	-60	161	554252	5533408	Miller	
<i>including</i>	<i>103.3</i>	<i>104.3</i>	<i>1.0</i>	<i>1.26</i>	<i>n/a</i>	<i>1.26</i>							
MI-19-027	21.0	22.0	1.0	1.69	<i>n/a</i>	1.69	140	-60	128	554297	5533437	Miller	
and	100.0	107.0	7.0	1.50	<i>n/a</i>	1.50							
<i>including</i>	<i>106.0</i>	<i>107.0</i>	<i>1.0</i>	<i>4.64</i>	<i>n/a</i>	<i>4.64</i>							
MI-19-028	59.0	77.0	18.0	0.81	<i>n/a</i>	0.81	140	-45	125	554297	5533437	Miller	
<i>including</i>	<i>59.0</i>	<i>61.0</i>	<i>2.0</i>	<i>1.27</i>	<i>n/a</i>	<i>1.27</i>							
<i>and incl.</i>	<i>69.0</i>	<i>77.0</i>	<i>8.0</i>	<i>1.48</i>	<i>n/a</i>	<i>1.48</i>							
<i>and incl.</i>	<i>70.0</i>	<i>71.0</i>	<i>1.0</i>	<i>7.51</i>	<i>n/a</i>	<i>7.51</i>							
MI-19-029	147.0	172.0	25.0	0.12	<i>n/a</i>	0.12	135	-70	203	554335	5533480	Miller	
MI-19-030	36.0	40.0	4.0	4.03	<i>n/a</i>	4.03	140	-45	113	554335	5533480	Miller	
<i>including</i>	<i>38.0</i>	<i>39.0</i>	<i>1.0</i>	<i>15.33</i>	<i>n/a</i>	<i>15.33</i>							
and	48.0	83.0	35.0	0.25	<i>n/a</i>	0.25							
<i>including</i>	<i>61.0</i>	<i>63.0</i>	<i>2.0</i>	<i>1.62</i>	<i>n/a</i>	<i>1.62</i>							
MI-19-031	<i>No significant mineralization</i>							315	-45	185	554273	5533529	Miller

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-032	39.0	143.0	104.0	0.23	0.25	0.25	0	-90	212	554367	5533434	Miller
<i>including</i>	<i>60.0</i>	<i>80.0</i>	<i>20.0</i>	<i>0.40</i>	<i>n/a</i>	<i>0.40</i>						
<i>and incl.</i>	<i>79.0</i>	<i>80.0</i>	<i>1.0</i>	<i>3.56</i>	<i>n/a</i>	<i>3.56</i>						
<i>and incl.</i>	<i>107.0</i>	<i>143.0</i>	<i>36.0</i>	<i>0.34</i>	<i>0.38</i>	<i>0.38</i>						
<i>and incl</i>	<i>126.0</i>	<i>127.0</i>	<i>1.0</i>	<i>5.50</i>	<i>n/a</i>	<i>5.50</i>						
MI-19-033	<i>No significant mineralization</i>						0	-90	155	554306	5533372	Miller
MI-19-034	129.0	141.0	12.0	1.55	1.62	1.62	0	-90	179	554251	5533338	Miller
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>17.24</i>	<i>18.07</i>	<i>18.07</i>						
MI-19-035	<i>No significant mineralization</i>						325	-45	200	554240	5533232	Miller
MI-19-036	<i>No significant mineralization</i>						325	-65	197	554240	5533232	Miller
MI-19-037	127.0	142.0	15.0	0.17	<i>n/a</i>	0.17	27	-45	287	554845	5533592	Miller
<i>including</i>	<i>135.0</i>	<i>136.0</i>	<i>1.0</i>	<i>1.11</i>	<i>n/a</i>	<i>1.11</i>						
MI-19-038	29.0	29.32	0.3	0.49	<i>n/a</i>	0.49	106	-45	185	554843	5533591	Miller
MI-19-039	<i>No significant mineralization</i>						108	-45	185	554614	5533526	Miller
MI-19-040	60.0	119.0	59.0	0.64	1.35	1.35	287	-45	212	554616	5533525	Miller
<i>including</i>	<i>60.0</i>	<i>93.0</i>	<i>33.0</i>	<i>0.96</i>	<i>2.23</i>	<i>2.23</i>						
<i>and incl.</i>	<i>60.0</i>	<i>62.0</i>	<i>2.0</i>	<i>5.91</i>	<i>n/a</i>	<i>5.91</i>						
<i>and incl.</i>	<i>78.0</i>	<i>93.0</i>	<i>15.0</i>	<i>1.09</i>	<i>3.88</i>	<i>3.88</i>						
<i>and incl.</i>	<i>80.88</i>	<i>81.88</i>	<i>1.0</i>	<i>0.49</i>	<i>6.83</i>	<i>6.83</i>						
<i>and incl.</i>	<i>86.88</i>	<i>87.88</i>	<i>1.0</i>	<i>8.55</i>	<i>44.07</i>	<i>44.07</i>						
GL-19-001	<i>No significant mineralization</i>						0	-45	161	546604	5527909	New Target
GL-19-002	<i>No significant mineralization</i>						34	-45	170	546604	5527909	New Target

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-003	23.57	25.00	1.43	14.85	10.91	10.91	335	-74	197	547642	5528090	Main Zone (Zone 2)
and	44.00	47.00	3.00	0.62	<i>n/a</i>	0.62						
<i>including</i>	<i>45.00</i>	<i>46.00</i>	<i>1.00</i>	<i>1.51</i>	<i>n/a</i>	<i>1.51</i>						
and	72.10	74.10	2.00	0.25	<i>n/a</i>	0.25						
and	102.40	107.46	5.06	0.95	<i>n/a</i>	0.95						
<i>including</i>	<i>106.62</i>	<i>107.46</i>	<i>0.84</i>	<i>4.57</i>	<i>n/a</i>	<i>4.57</i>						
GL-19-004	32.86	36.21	3.35	1.28	<i>n/a</i>	1.28	335	-84	257	547642	5528090	Main Zone (Zone 2)
and	51.90	55.05	3.15	0.60	<i>n/a</i>	0.60						
and	149.91	155.00	5.09	1.72	<i>n/a</i>	1.72						
<i>including</i>	<i>149.91</i>	<i>151.00</i>	<i>1.09</i>	<i>4.73</i>	<i>n/a</i>	<i>4.73</i>						
and	166.00	172.00	6.00	1.57	<i>n/a</i>	1.57						
<i>including</i>	<i>166.00</i>	<i>167.00</i>	<i>1.00</i>	<i>3.03</i>	<i>n/a</i>	<i>3.03</i>						
<i>and incl.</i>	<i>170.00</i>	<i>172.00</i>	<i>2.00</i>	<i>2.47</i>	<i>n/a</i>	<i>2.47</i>						
GL-19-005	58.90	64.00	5.10	0.33	<i>n/a</i>	0.33	335	-77	242	547702	5528089	Main Zone (Zone 2)
and	83.00	84.00	1.00	0.30	<i>n/a</i>	0.30						
and	133.00	135.00	2.00	1.98	<i>n/a</i>	1.98						
<i>including</i>	<i>133.00</i>	<i>134.00</i>	<i>1.00</i>	<i>3.58</i>	<i>n/a</i>	<i>3.58</i>						
and	169.30	174.00	4.70	1.05	<i>n/a</i>	1.05						
<i>including</i>	<i>172.21</i>	<i>174.00</i>	<i>1.79</i>	<i>2.40</i>	<i>n/a</i>	<i>2.40</i>						
and	189.00	195.00	6.00	0.52	<i>n/a</i>	0.52						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-006	82.00	86.00	4.00	3.08	n/a	3.08	335	-86	167	547702	5528089	Main Zone (Zone 2)
<i>including</i>	83.00	85.00	2.00	5.72	n/a	5.72						
<i>and incl.</i>	83.00	83.67	0.67	9.53	n/a	9.53						
and	107.00	114.00	7.00	0.96	n/a	0.96						
<i>including</i>	107.00	108.00	1.00	3.14	n/a	3.14						
<i>and incl.</i>	112.00	114.00	2.00	1.63	n/a	1.63						
and	134.00	134.50	0.50	1.80	n/a	1.80						
and	137.54	137.85	0.31	5.13	n/a	5.13						
and	147.76	148.09	0.33	48.03	n/a	48.03						
GL-19-008	1.40	25.00	23.60	0.33	n/a	0.33	335	-85	125	547722	5528154	Main Zone (Zone 2)
<i>including</i>	10.00	16.00	6.00	1.06	n/a	1.06						
<i>and incl.</i>	13.00	15.00	2.00	1.90	n/a	1.90						
and	57.00	66.00	9.00	0.82	n/a	0.82						
and	83.00	104.00	21.00	6.49	5.36	5.36						
<i>including</i>	88.00	89.00	1.00	5.49	n/a	5.49						
<i>and incl.</i>	96.00	97.00	1.00	113.43	89.60	89.60						
GL-19-010	69.00	84.00	15.00	1.68	n/a	1.68	335	-77	176	547746	5528102	Main Zone (Zone 2, 3)
<i>including</i>	69.00	70.00	1.00	8.02	n/a	8.02						
<i>and incl.</i>	71.00	72.00	1.00	4.86	n/a	4.86						
<i>and incl.</i>	80.00	81.00	1.00	4.89	n/a	4.89						
and	143.00	148.00	5.00	1.26	n/a	1.26						
<i>including</i>	147.00	148.00	1.00	5.24	n/a	5.24						
and	167.00	175.00	8.00	0.97	n/a	0.97						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-19-012	9.40	9.71	0.31	0.69	n/a	0.69	335	-73	182	547774	5528162	Main Zone (Zone 2)
and	48.00	65.00	17.00	1.11	n/a	1.11						
<i>including</i>	<i>48.00</i>	<i>53.00</i>	<i>5.00</i>	<i>2.27</i>	<i>n/a</i>	<i>2.27</i>						
<i>and incl.</i>	<i>48.00</i>	<i>49.00</i>	<i>1.00</i>	<i>4.14</i>	<i>n/a</i>	<i>4.14</i>						
and	86.00	87.00	1.00	3.59	n/a	3.59						
and	96.00	97.00	1.00	0.98	n/a	0.98						
and	103.00	104.00	1.00	0.74	n/a	0.74						
GL-19-013	32.00	34.00	2.00	0.66	n/a	0.66	335	-62	101	547774	5528162	Main Zone (Zone 2)
and	63.00	77.00	14.00	1.15	n/a	1.15						
<i>including</i>	<i>70.00</i>	<i>77.00</i>	<i>7.00</i>	<i>2.20</i>	<i>n/a</i>	<i>2.20</i>						
<i>and incl.</i>	<i>70.00</i>	<i>71.00</i>	<i>1.00</i>	<i>5.32</i>	<i>n/a</i>	<i>5.32</i>						
<i>and incl.</i>	<i>75.00</i>	<i>76.00</i>	<i>1.00</i>	<i>9.42</i>	<i>n/a</i>	<i>9.42</i>						
GL-19-014	25.00	27.00	2.00	0.75	n/a	0.75	335	-45	95	547774	5528162	Main Zone (Zone 2)
and	36.00	37.00	1.00	4.07	n/a	4.07						
and	56.00	58.00	2.00	0.71	n/a	0.71						
GL-19-021	139.00	140.00	1.00	9.19	n/a	9.19	0	-90	386	546100	5527506	Main Zone (Zone 3)
and	188.00	191.00	3.00	3.20	n/a	3.20						
<i>including</i>	<i>188.00</i>	<i>189.00</i>	<i>1.00</i>	<i>6.54</i>	<i>n/a</i>	<i>6.54</i>						
and	286.00	288.61	2.61	1.97	n/a	1.97						
<i>including</i>	<i>286.00</i>	<i>286.70</i>	<i>0.70</i>	<i>6.64</i>	<i>n/a</i>	<i>6.64</i>						
GL-19-022	<i>No significant mineralization</i>						0	-50	173	546100	5527506	Main Zone (Zone 2, 3)
GL-19-034	25.94	27.17	1.23	8.63	n/a	8.63	335	-45	74	547774	5528162	Main Zone (Zone 2)
and	30.72	31.20	0.48	1.81	n/a	1.81						
and	53.00	55.00	2.00	1.46	n/a	1.46						
and	60.00	62.00	2.00	3.40	n/a	3.40						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-001	<i>No significant mineralization</i>						0	-90	314	546099	5527538	Main Zone (Zone 3)
GL-20-002	<i>No significant mineralization</i>						0	-90	293	546150	5527548	Main Zone (Zone 3)
GL-20-003	<i>No significant mineralization</i>						0	-90	206	546150	5527576	Main Zone (Zone 3)
GL-20-004	<i>No significant mineralization</i>						0	-55	194	546150	5527576	Main Zone (Zone 2)
GL-20-005	52.13	57.07	4.94	0.38	<i>n/a</i>	0.38	0	-90	188	546200	5527550	Main Zone (Zone 3)
and	60.00	94.57	34.57	0.28	<i>n/a</i>	0.28						
GL-20-006	153.00	211.00	58.00	0.88	0.83	0.83	0	-90	221	546200	5527525	Main Zone (Zone 3)
<i>including</i>	<i>153.00</i>	<i>166.00</i>	<i>13.00</i>	<i>2.10</i>	<i>n/a</i>	<i>2.10</i>						
<i>and incl.</i>	<i>161.00</i>	<i>162.00</i>	<i>1.00</i>	<i>12.07</i>	<i>n/a</i>	<i>12.07</i>						
<i>and incl.</i>	<i>165.00</i>	<i>166.00</i>	<i>1.00</i>	<i>5.10</i>	<i>n/a</i>	<i>5.10</i>						
<i>and incl.</i>	<i>202.00</i>	<i>211.00</i>	<i>9.00</i>	<i>1.94</i>	<i>1.67</i>	<i>1.67</i>						
<i>and incl.</i>	<i>208.00</i>	<i>209.00</i>	<i>1.00</i>	<i>11.37</i>	<i>9.00</i>	<i>9.00</i>						
GL-20-007	<i>No significant mineralization</i>						0	-90	83	546250	5527530	Main Zone (Zone 3)
GL-20-008	94.00	95.00	1.00	2.74	<i>n/a</i>	2.74	0	-90	203	546250	5527530	Main Zone (Zone 3)
and	123.00	167.00	44.00	0.27	<i>n/a</i>	0.27						
<i>including</i>	<i>147.00</i>	<i>166.00</i>	<i>19.00</i>	<i>0.47</i>	<i>n/a</i>	<i>0.47</i>						
<i>and incl.</i>	<i>147.00</i>	<i>148.00</i>	<i>1.00</i>	<i>1.64</i>	<i>n/a</i>	<i>1.64</i>						
<i>and incl.</i>	<i>165.00</i>	<i>166.00</i>	<i>1.00</i>	<i>2.19</i>	<i>n/a</i>	<i>2.19</i>						
and	175.00	176.00	1.00	1.33	<i>n/a</i>	1.33						
GL-20-009	37.00	100.00	63.00	0.33	0.27	0.27	0	-90	125	546250	5527555	Main Zone (Zone 3)
<i>including</i>	<i>80.00</i>	<i>100.00</i>	<i>20.00</i>	<i>0.70</i>	<i>0.52</i>	<i>0.52</i>						
<i>and incl.</i>	<i>99.00</i>	<i>100.00</i>	<i>1.00</i>	<i>11.36</i>	<i>7.90</i>	<i>7.90</i>						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-010	119.00	122.00	3.00	3.06	n/a	3.06	0	-90	218	546295	5527527	Main Zone (Zone 3)
<i>including</i>	<i>120.00</i>	<i>121.00</i>	<i>1.00</i>	<i>7.86</i>	<i>n/a</i>	<i>7.86</i>						
and	148.00	192.00	44.00	1.26	1.20	1.20						
<i>including</i>	<i>152.00</i>	<i>153.00</i>	<i>1.00</i>	<i>6.70</i>	<i>n/a</i>	<i>6.70</i>						
<i>and incl.</i>	<i>166.00</i>	<i>183.00</i>	<i>17.00</i>	<i>2.08</i>	<i>1.94</i>	<i>1.94</i>						
<i>and incl.</i>	<i>182.00</i>	<i>183.00</i>	<i>1.00</i>	<i>18.28</i>	<i>15.90</i>	<i>15.90</i>						
and	199.00	210.00	11.00	0.26	n/a	0.26						
<i>including</i>	<i>209.00</i>	<i>210.00</i>	<i>1.00</i>	<i>1.72</i>	<i>n/a</i>	<i>1.72</i>						
GL-20-011	88.00	130.00	42.00	0.26	n/a	0.26	0	-75	164	546295	5527527	Main Zone (Zone 3)
<i>including</i>	<i>88.00</i>	<i>107.00</i>	<i>19.00</i>	<i>0.54</i>	<i>n/a</i>	<i>0.54</i>						
<i>and incl.</i>	<i>93.00</i>	<i>99.00</i>	<i>6.00</i>	<i>1.03</i>	<i>n/a</i>	<i>1.03</i>						
GL-20-012	12.00	102.00	90.00	0.31	n/a	0.31	0	-90	263	546350	5527559	Main Zone (Zone 3)
<i>including</i>	<i>19.00</i>	<i>23.00</i>	<i>4.00</i>	<i>1.10</i>	<i>n/a</i>	<i>1.10</i>						
and	175.00	225.00	50.00	0.14	n/a	0.14						
GL-20-013	17.00	61.00	44.00	0.27	n/a	0.27	0	-55	122	546350	5527559	Main Zone (Zone 3)
<i>including</i>	<i>20.00</i>	<i>21.00</i>	<i>1.00</i>	<i>1.21</i>	<i>n/a</i>	<i>1.21</i>						
<i>and incl.</i>	<i>54.00</i>	<i>58.00</i>	<i>4.00</i>	<i>0.67</i>	<i>n/a</i>	<i>0.67</i>						
GL-20-014	1.15	29.00	27.85	0.42	n/a	0.42	0	-90	188	546400	5527566	Main Zone (Zone 3)
<i>including</i>	<i>2.00</i>	<i>3.00</i>	<i>1.00</i>	<i>2.92</i>	<i>n/a</i>	<i>2.92</i>						
<i>and incl.</i>	<i>16.00</i>	<i>17.00</i>	<i>1.00</i>	<i>1.75</i>	<i>n/a</i>	<i>1.75</i>						
<i>and incl.</i>	<i>27.00</i>	<i>28.00</i>	<i>1.00</i>	<i>1.52</i>	<i>n/a</i>	<i>1.52</i>						
and	41.00	123.00	82.00	0.10	n/a	0.10						
and	131.00	140.00	9.00	0.25	n/a	0.25						
and	158.00	166.00	8.00	0.32	n/a	0.32						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-015	10.00	171.00	161.00	0.12	n/a	0.12	0	-90	191	546388	5527591	Main Zone
<i>including</i>	87.00	88.00	1.00	1.29	n/a	1.29						(Zone 3)
<i>and incl.</i>	102.00	115.00	13.00	0.20	n/a	0.20						
<i>and incl.</i>	140.00	171.00	31.00	0.22	n/a	0.22						
<i>and incl.</i>	164.00	171.00	7.00	0.52	n/a	0.52						
<i>and incl.</i>	164.00	165.00	1.00	2.57	n/a	2.57						
GL-20-016	No significant mineralization						0	-70	206	546338	5527332	Main Zone (Zone 4)
GL-20-017	87.00	93.00	6.00	1.67	n/a	1.67	155	-65	179	547702	5528089	Main Zone
<i>including</i>	88.00	89.00	1.00	8.49	n/a	8.49						(Zone 3)
and	130.00	141.00	11.00	0.15	n/a	0.15						
<i>including</i>	130.00	134.00	4.00	0.33	n/a	0.33						
GL-20-018	45.00	76.00	31.00	0.14	n/a	0.14	155	-70	200	547648	5528051	Main Zone
<i>including</i>	71.00	72.00	1.00	2.14	n/a	2.14						(Zone 3)
and	87.00	88.00	1.00	1.11	n/a	1.11						
and	126.00	136.00	10.00	5.42	n/a	5.42						
<i>Including</i>	129.00	131.00	2.00	22.03	n/a	22.03						
<i>and incl.</i>	135.00	136.00	1.00	5.10	n/a	5.10						
GL-20-019	102.00	104.00	2.00	0.95	n/a	0.95	335	-60	182	547648	5528051	Main Zone
and	128.43	130.17	1.74	0.78	n/a	0.78						(Zone 2)
and	145.27	146.33	1.06	0.19	n/a	0.19						
GL-20-020	34.89	35.76	0.87	0.60	n/a	0.60	335	-50	140	547752	5528112	Main Zone
and	87.00	109.00	22.00	1.25	n/a	1.25						(Zone 2)
<i>including</i>	103.00	109.00	6.00	2.71	n/a	2.71						
<i>and incl.</i>	103.00	104.00	1.00	5.46	n/a	5.46						
<i>and incl.</i>	107.00	108.00	1.00	6.37	n/a	6.37						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-021	82.50	83.50	1.00	0.39	<i>n/a</i>	0.39	155	-60	161	547750	5528119	Main Zone (Zone 3)
and	116.00	117.00	1.00	0.88	<i>n/a</i>	0.88						
and	121.00	122.00	1.00	0.43	<i>n/a</i>	0.43						
and	141.00	142.00	1.00	1.75	<i>n/a</i>	1.75						
GL-20-022	15.00	18.40	3.40	0.59	<i>n/a</i>	0.59	155	-60	164	547774	5528159	Main Zone (Zone 3)
and	30.00	32.00	2.00	0.18	<i>n/a</i>	0.18						
and	108.00	116.00	8.00	0.35	<i>n/a</i>	0.35						
<i>including</i>	<i>108.00</i>	<i>109.00</i>	<i>1.00</i>	<i>1.21</i>	<i>n/a</i>	<i>1.21</i>						
<i>and incl.</i>	<i>112.00</i>	<i>113.00</i>	<i>1.00</i>	<i>1.14</i>	<i>n/a</i>	<i>1.14</i>						
GL-20-023	14.50	15.50	1.00	0.75	<i>n/a</i>	0.75	335	-70	200	547847	5528149	Main Zone (Zone 2, 3)
and	52.00	62.00	10.00	1.42	<i>n/a</i>	1.42						
<i>including</i>	<i>52.00</i>	<i>54.54</i>	<i>2.54</i>	<i>5.24</i>	<i>n/a</i>	<i>5.24</i>						
and	131.86	139.00	7.14	1.05	<i>n/a</i>	1.05						
<i>including</i>	<i>131.86</i>	<i>132.86</i>	<i>1.00</i>	<i>2.90</i>	<i>n/a</i>	<i>2.90</i>						
<i>and incl.</i>	<i>138.00</i>	<i>139.00</i>	<i>1.00</i>	<i>2.72</i>	<i>n/a</i>	<i>2.72</i>						
and	146.00	147.00	1.00	0.81	<i>n/a</i>	0.81						
and	157.00	158.00	1.00	0.41	<i>n/a</i>	0.41						
and	173.00	193.00	20.00	0.50	<i>n/a</i>	0.50						
<i>including</i>	<i>173.00</i>	<i>185.00</i>	<i>12.00</i>	<i>0.77</i>	<i>n/a</i>	<i>0.77</i>						
<i>and incl.</i>	<i>184.00</i>	<i>185.00</i>	<i>1.00</i>	<i>6.95</i>	<i>n/a</i>	<i>6.95</i>						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-024	26.00	27.00	1.00	0.32	n/a	0.32	155	-70	200	547847	5528149	Main Zone (Zone 3)
and	107.00	129.00	22.00	0.48	n/a	0.48						
<i>including</i>	<i>107.00</i>	<i>114.00</i>	<i>7.00</i>	<i>1.22</i>	<i>n/a</i>	<i>1.22</i>						
<i>and incl.</i>	<i>107.00</i>	<i>109.00</i>	<i>2.00</i>	<i>3.36</i>	<i>n/a</i>	<i>3.36</i>						
and	156.00	157.00	1.00	0.24	n/a	0.24						
and	159.00	160.00	1.00	0.26	n/a	0.26						
and	182.00	183.00	1.00	3.03	n/a	3.03						
GL-20-025	23.00	54.18	31.18	1.82	n/a	1.82	335	-68	182	547873	5528180	Main Zone (Zone 2, 3)
<i>including</i>	<i>23.00</i>	<i>39.00</i>	<i>16.00</i>	<i>3.08</i>	<i>n/a</i>	<i>3.08</i>						
<i>and incl.</i>	<i>24.00</i>	<i>25.00</i>	<i>1.00</i>	<i>20.12</i>	<i>n/a</i>	<i>20.12</i>						
<i>and incl.</i>	<i>33.05</i>	<i>33.65</i>	<i>0.60</i>	<i>7.58</i>	<i>n/a</i>	<i>7.58</i>						
<i>and incl.</i>	<i>35.00</i>	<i>36.00</i>	<i>1.00</i>	<i>6.03</i>	<i>n/a</i>	<i>6.03</i>						
and	118.00	134.00	16.00	1.54	n/a	1.54						
<i>including</i>	<i>126.00</i>	<i>134.00</i>	<i>8.00</i>	<i>2.95</i>	<i>n/a</i>	<i>2.95</i>						
and	145.78	167.27	21.49	0.56	n/a	0.56						
<i>including</i>	<i>150.00</i>	<i>160.00</i>	<i>10.00</i>	<i>0.84</i>	<i>n/a</i>	<i>0.84</i>						
<i>and incl.</i>	<i>159.00</i>	<i>160.00</i>	<i>1.00</i>	<i>3.77</i>	<i>n/a</i>	<i>3.77</i>						
<i>and incl.</i>	<i>166.00</i>	<i>167.27</i>	<i>1.27</i>	<i>2.18</i>	<i>n/a</i>	<i>2.18</i>						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-026	5.00	6.00	1.00	0.18	<i>n/a</i>	0.18	145	-60	179	547865	5528182	Main Zone (Zone 3)
and	31.00	32.00	1.00	6.22	<i>n/a</i>	6.22						
and	38.00	39.00	1.00	0.12	<i>n/a</i>	0.12						
and	43.00	44.00	1.00	0.10	<i>n/a</i>	0.10						
and	55.00	56.00	1.00	0.28	<i>n/a</i>	0.28						
and	78.00	79.00	1.00	0.14	<i>n/a</i>	0.14						
and	97.00	119.00	22.00	0.17	<i>n/a</i>	0.17						
<i>including</i>	<i>97.00</i>	<i>98.00</i>	<i>1.00</i>	<i>2.16</i>	<i>n/a</i>	<i>2.16</i>						
and	137.00	137.76	0.76	0.25	<i>n/a</i>	0.25						
GL-20-027	28.00	66.71	38.71	1.39	<i>n/a</i>	1.39	335	-70	143	547932	5528278	Main Zone (Zone 2)
<i>including</i>	<i>31.00</i>	<i>32.61</i>	<i>1.61</i>	<i>5.22</i>	<i>n/a</i>	<i>5.22</i>						
<i>and incl.</i>	<i>35.67</i>	<i>37.01</i>	<i>1.34</i>	<i>19.54</i>	<i>n/a</i>	<i>19.54</i>						
<i>and incl.</i>	<i>37.01</i>	<i>38.00</i>	<i>0.99</i>	<i>3.01</i>	<i>n/a</i>	<i>3.01</i>						
<i>and incl.</i>	<i>55.45</i>	<i>57.00</i>	<i>1.55</i>	<i>4.42</i>	<i>n/a</i>	<i>4.42</i>						
and	83.00	98.00	15.00	0.33	<i>n/a</i>	0.33						
GL-20-028	16.03	38.00	21.97	2.51	<i>n/a</i>	2.51	335	-50	104	547932	5528278	Main Zone (Zone 2)
<i>including</i>	<i>20.00</i>	<i>35.00</i>	<i>15.00</i>	<i>3.58</i>	<i>n/a</i>	<i>3.58</i>						
<i>and incl.</i>	<i>20.00</i>	<i>29.55</i>	<i>9.55</i>	<i>5.46</i>	<i>n/a</i>	<i>5.46</i>						
<i>and incl.</i>	<i>28.00</i>	<i>29.55</i>	<i>1.55</i>	<i>24.08</i>	<i>n/a</i>	<i>24.08</i>						
and	46.00	59.00	13.00	0.55	<i>n/a</i>	0.55						
<i>including</i>	<i>54.00</i>	<i>59.00</i>	<i>5.00</i>	<i>1.15</i>	<i>n/a</i>	<i>1.15</i>						
and	64.14	65.00	0.86	1.17	<i>n/a</i>	1.17						
and	72.00	77.00	5.00	0.97	<i>n/a</i>	0.97						
<i>including</i>	<i>73.00</i>	<i>74.00</i>	<i>1.00</i>	<i>3.87</i>	<i>n/a</i>	<i>3.87</i>						

First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-029	73.00	80.00	7.00	0.21	n/a	0.21	155	-45	203	547992	5528465	Main Zone (Zone 2)
and	92.00	93.00	1.00	3.54	n/a	3.54						
and	123.00	124.00	1.00	1.81	n/a	1.81						
and	133.00	151.00	18.00	1.69	n/a	1.69						
<i>including</i>	<i>141.00</i>	<i>151.00</i>	<i>10.00</i>	<i>2.98</i>	<i>n/a</i>	<i>2.98</i>						
<i>and incl.</i>	<i>150.00</i>	<i>151.00</i>	<i>1.00</i>	<i>19.93</i>	<i>n/a</i>	<i>19.93</i>						
and	175.00	176.00	1.00	0.96	n/a	0.96						

***Notes:**

- Assaying for the Miller drill program was completed by SGS Canada Inc. ("SGS") at their laboratory in Lakefield, Ontario. Assaying for the Main Zone drill program was completed by SGS at their laboratories in Red Lake, Ontario and Vancouver, BC. Prepared 50 g samples were analyzed for gold by lead fusion fire assay with an atomic absorption spectrometry ("AAS") finish. Multi-element analysis was also completed on selected holes by two-acid aqua regia digestion with ICP-MS and AES finish.
- Reported widths are drilled core lengths; true widths are unknown at this time. Assay values are uncut.
- Final collar coordinates surveyed by differential GPS.
- Intervals for Miller holes MI-19-013 through MI-19-015, MI-19-017 through MI-19-022, MI-19-025, MI-19-032, MI-19-034 and MI-19-040, and Goldlund Main Zone holes GL-19-003, GL-19-008, GL-20-006, GL-20-009 and GL-20-010 include results of selected assay repeats. These repeats were done by screened metallic fire assay on 1 kg size samples at the SGS laboratories in Lakefield and Vancouver. Final Au grade includes results of metallic screen fire assay reruns ("metallics"), where completed.