

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target	
MI-19-009	<i>No significant mineralization</i>							140	-75	167	554639	5533662	Miller
MI-19-010	<i>No significant mineralization</i>							315	-60	170	554649	5533576	Miller
MI-19-011	<i>No significant mineralization</i>							140	-60	161	554686	5533605	Miller
MI-19-012	<i>No significant mineralization</i>							320	-60	236	554786	5533550	Miller
MI-19-013	46.0	228.0	182.0	1.01	1.09	1.09	140	-85	251	554575	5533604	Miller	
<i>including</i>	46.0	50.0	4.0	6.44	9.15	9.15							
<i>and incl.</i>	47.0	48.0	1.0	24.37	35.19	35.19							
<i>and incl.</i>	88.0	109.0	21.0	2.71	2.73	2.73							
<i>and incl.</i>	107.0	113.0	6.0	4.24	3.95	3.95							
<i>and incl.</i>	134.0	147.0	13.0	2.69	2.67	2.67							
MI-19-014	3.0	210.0	207.0	1.57	1.57	1.57	140	-85	245	554567	5533581	Miller	
<i>including</i>	42.0	91.0	49.0	2.31	2.34	2.34							
<i>and incl.</i>	56.0	70.0	14.0	4.47	4.53	4.53							
<i>and incl.</i>	60.0	61.0	1.0	26.43	<i>n/a</i>	26.43							
<i>and incl.</i>	142.0	183.0	41.0	4.17	4.07	4.07							
<i>and incl.</i>	168.0	182.0	14.0	7.57	7.38	7.38							
<i>and incl.</i>	168.0	169.0	1.0	55.28	<i>n/a</i>	55.28							
MI-19-015	1.0	168.0	167.0	0.97	1.01	1.01	140	-85	224	554551	5533566	Miller	
<i>including</i>	1.0	26.0	25.0	1.62	<i>n/a</i>	1.62							
<i>and incl.</i>	5.0	8.0	3.0	5.40	<i>n/a</i>	5.40							
<i>and incl.</i>	108.0	141.0	33.0	1.66	1.84	1.84							
<i>and incl.</i>	120.0	122.0	2.0	5.82	<i>n/a</i>	5.82							
MI-19-016	<i>No significant mineralization</i>							320	-45	278	554525	5533603	Miller

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-017	6.0	7.0	1.0	1.48	<i>n/a</i>	1.48	140	-85	242	554500	5533516	Miller
and	32.0	201.0	169.0	0.90	0.88	0.88						
<i>including</i>	<i>56.0</i>	<i>93.0</i>	<i>37.0</i>	<i>3.56</i>	<i>3.42</i>	<i>3.42</i>						
<i>and incl.</i>	<i>79.0</i>	<i>93.0</i>	<i>14.0</i>	<i>7.66</i>	<i>7.27</i>	<i>7.27</i>						
<i>and incl.</i>	<i>83.0</i>	<i>84.0</i>	<i>1.0</i>	<i>65.97</i>	<i>n/a</i>	<i>65.97</i>						
<i>and incl.</i>	<i>85.0</i>	<i>86.0</i>	<i>1.0</i>	<i>11.00</i>	<i>n/a</i>	<i>11.00</i>						
MI-19-018	18.0	141.0	123.0	0.88	0.86	0.86	120	-85	212	554471	5533500	Miller
<i>including</i>	<i>67.0</i>	<i>141.0</i>	<i>74.0</i>	<i>1.22</i>	<i>1.18</i>	<i>1.18</i>						
<i>and incl.</i>	<i>100.0</i>	<i>134.0</i>	<i>34.0</i>	<i>2.20</i>	<i>2.08</i>	<i>2.08</i>						
<i>and incl.</i>	<i>105.0</i>	<i>106.0</i>	<i>1.0</i>	<i>6.49</i>	<i>n/a</i>	<i>6.49</i>						
<i>and incl.</i>	<i>113.0</i>	<i>114.0</i>	<i>1.0</i>	<i>12.91</i>	<i>n/a</i>	<i>12.91</i>						
<i>and incl.</i>	<i>129.0</i>	<i>130.0</i>	<i>1.0</i>	<i>26.59</i>	<i>23.96</i>	<i>23.96</i>						
and	168.0	169.0	1.0	4.24	<i>n/a</i>	4.24						
MI-19-019	65.0	101.0	36.0	0.40	0.41	0.41	320	-55	176	554472	5533425	Miller
<i>including</i>	<i>68.0</i>	<i>69.0</i>	<i>1.0</i>	<i>2.78</i>	<i>n/a</i>	<i>2.78</i>						
<i>and incl.</i>	<i>83.0</i>	<i>85.0</i>	<i>2.0</i>	<i>2.09</i>	<i>n/a</i>	<i>2.09</i>						
<i>and incl.</i>	<i>100.0</i>	<i>101.0</i>	<i>1.0</i>	<i>1.88</i>	<i>1.62</i>	<i>1.62</i>						
MI-19-020	133.0	139.0	6.0	1.66	1.77	1.77	290	-55	215	554440	5533387	Miller
<i>including</i>	<i>134.0</i>	<i>135.0</i>	<i>1.0</i>	<i>8.15</i>	<i>n/a</i>	<i>8.15</i>						
MI-19-021	111.0	118.0	7.0	0.98	0.99	0.99	320	-60	173	554396	5533364	Miller
<i>including</i>	<i>112.0</i>	<i>113.0</i>	<i>1.0</i>	<i>4.78</i>	<i>n/a</i>	<i>4.78</i>						
MI-19-022	115.0	122.0	7.0	0.62	0.82	0.82	320	-60	167	554356	5533327	Miller
<i>including</i>	<i>119.0</i>	<i>120.0</i>	<i>1.0</i>	<i>1.56</i>	<i>n/a</i>	<i>1.56</i>						
<i>and incl.</i>	<i>121.0</i>	<i>122.0</i>	<i>1.0</i>	<i>1.18</i>	<i>2.58</i>	<i>2.58</i>						
MI-19-023	127.0	128.0	1.0	0.34	<i>n/a</i>	0.34	320	-60	164	554319	5533298	Miller
and	138.0	139.0	1.0	0.18	<i>n/a</i>	0.18						

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target	
MI-19-024	85.0	86.0	1.0	0.51	<i>n/a</i>	0.51	320	-60	146	554277	5533273	Miller	
and	133.0	140.0	7.0	1.72	<i>n/a</i>	1.72							
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>5.49</i>	<i>n/a</i>	<i>5.49</i>							
<i>and incl.</i>	<i>139.0</i>	<i>140.0</i>	<i>1.0</i>	<i>6.50</i>	<i>n/a</i>	<i>6.50</i>							
MI-19-025	53.0	64.0	11.0	0.61	<i>n/a</i>	0.61	140	-65	176	554220	5533373	Miller	
<i>including</i>	<i>58.0</i>	<i>59.0</i>	<i>1.0</i>	<i>1.89</i>	<i>n/a</i>	<i>1.89</i>							
<i>and incl.</i>	<i>63.0</i>	<i>64.0</i>	<i>1.0</i>	<i>4.54</i>	<i>n/a</i>	<i>4.54</i>							
and	84.0	85.0	1.0	1.02	3.86	3.86							
and	101.0	106.0	5.0	0.79	0.81	0.81							
<i>including</i>	<i>104.0</i>	<i>105.0</i>	<i>1.0</i>	<i>2.04</i>	<i>n/a</i>	<i>2.04</i>							
MI-19-026	103.3	107.05	3.8	0.42	<i>n/a</i>	0.42	140	-60	161	554252	5533408	Miller	
<i>including</i>	<i>103.3</i>	<i>104.3</i>	<i>1.0</i>	<i>1.26</i>	<i>n/a</i>	<i>1.26</i>							
MI-19-027	21.0	22.0	1.0	1.69	<i>n/a</i>	1.69	140	-60	128	554297	5533437	Miller	
and	100.0	107.0	7.0	1.50	<i>n/a</i>	1.50							
<i>including</i>	<i>106.0</i>	<i>107.0</i>	<i>1.0</i>	<i>4.64</i>	<i>n/a</i>	<i>4.64</i>							
MI-19-028	59.0	77.0	18.0	0.81	<i>n/a</i>	0.81	140	-45	125	554297	5533437	Miller	
<i>including</i>	<i>59.0</i>	<i>61.0</i>	<i>2.0</i>	<i>1.27</i>	<i>n/a</i>	<i>1.27</i>							
<i>and incl.</i>	<i>69.0</i>	<i>77.0</i>	<i>8.0</i>	<i>1.48</i>	<i>n/a</i>	<i>1.48</i>							
<i>and incl.</i>	<i>70.0</i>	<i>71.0</i>	<i>1.0</i>	<i>7.51</i>	<i>n/a</i>	<i>7.51</i>							
MI-19-029	147.0	172.0	25.0	0.12	<i>n/a</i>	0.12	135	-70	203	554335	5533480	Miller	
MI-19-030	36.0	40.0	4.0	4.03	<i>n/a</i>	4.03	140	-45	113	554335	5533480	Miller	
<i>including</i>	<i>38.0</i>	<i>39.0</i>	<i>1.0</i>	<i>15.33</i>	<i>n/a</i>	<i>15.33</i>							
and	48.0	83.0	35.0	0.25	<i>n/a</i>	0.25							
<i>including</i>	<i>61.0</i>	<i>63.0</i>	<i>2.0</i>	<i>1.62</i>	<i>n/a</i>	<i>1.62</i>							
MI-19-031	<i>No significant mineralization</i>							315	-45	185	554273	5533529	Miller

First Mining Gold Corp.

Goldlund Project - 2019 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-032	39.0	143.0	104.0	0.23	0.25	0.25	0	-90	212	554367	5533434	Miller
<i>including</i>	<i>60.0</i>	<i>80.0</i>	<i>20.0</i>	<i>0.40</i>	<i>n/a</i>	<i>0.40</i>						
<i>and incl.</i>	<i>79.0</i>	<i>80.0</i>	<i>1.0</i>	<i>3.56</i>	<i>n/a</i>	<i>3.56</i>						
<i>and incl.</i>	<i>107.0</i>	<i>143.0</i>	<i>36.0</i>	<i>0.34</i>	<i>0.38</i>	<i>0.38</i>						
<i>and incl</i>	<i>126.0</i>	<i>127.0</i>	<i>1.0</i>	<i>5.50</i>	<i>n/a</i>	<i>5.50</i>						
MI-19-033	<i>No significant mineralization</i>						0	-90	155	554306	5533372	Miller
MI-19-034	129.0	141.0	12.0	1.55	1.62	1.62	0	-90	179	554251	5533338	Miller
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>17.24</i>	<i>18.07</i>	<i>18.07</i>						
MI-19-035	<i>No significant mineralization</i>						325	-45	200	554240	5533232	Miller
MI-19-036	<i>No significant mineralization</i>						325	-65	197	554240	5533232	Miller
MI-19-037	127.0	142.0	15.0	0.17	<i>n/a</i>	0.17	27	-45	287	554845	5533592	Miller
<i>including</i>	<i>135.0</i>	<i>136.0</i>	<i>1.0</i>	<i>1.11</i>	<i>n/a</i>	<i>1.11</i>						
MI-19-038	29.0	29.32	0.3	0.49	<i>n/a</i>	0.49	106	-45	185	554843	5533591	Miller
MI-19-039	<i>No significant mineralization</i>						108	-45	185	554614	5533526	Miller
MI-19-040	60.0	119.0	59.0	0.64	1.35	1.35	287	-45	212	554616	5533525	Miller
<i>including</i>	<i>60.0</i>	<i>93.0</i>	<i>33.0</i>	<i>0.96</i>	<i>2.23</i>	<i>2.23</i>						
<i>and incl.</i>	<i>60.0</i>	<i>62.0</i>	<i>2.0</i>	<i>5.91</i>	<i>n/a</i>	<i>5.91</i>						
<i>and incl.</i>	<i>78.0</i>	<i>93.0</i>	<i>15.0</i>	<i>1.09</i>	<i>3.88</i>	<i>3.88</i>						
<i>and incl.</i>	<i>80.88</i>	<i>81.88</i>	<i>1.0</i>	<i>0.49</i>	<i>6.83</i>	<i>6.83</i>						
<i>and incl.</i>	<i>86.88</i>	<i>87.88</i>	<i>1.0</i>	<i>8.55</i>	<i>44.07</i>	<i>44.07</i>						

***Notes:**

- Assaying for the Miller drill program was completed by SGS Canada Inc. ("SGS") at their laboratory in Lakefield, Ontario. Prepared 50 g samples were analyzed for gold by lead fusion fire assay with an atomic absorption spectrometry ("AAS") finish. Multi-element analysis was also completed on selected holes by two-acid aqua regia digestion with ICP-MS and AES finish.
- Reported widths are drilled core lengths; true widths are unknown at this time. Assay values are uncut.
- Final collar coordinates surveyed by differential GPS.
- Intervals for hole MI-19-013 through MI-19-015, MI-19-017 through MI-19-022, MI-19-025, MI-19-032, MI-19-034 and MI-19-040 include results of selected assay repeats. These repeats were done by screened metallic fire assay on 1 kg size samples at the SGS laboratory in Lakefield. Final Au grade includes results of metallic screen fire assay reruns ("metallics"), where completed.