

**First Mining Gold Corp.**

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
MI-19-009	<i>No significant mineralization</i>						140	-75	167	554639	5533662	Miller
MI-19-010	<i>No significant mineralization</i>						315	-60	170	554649	5533576	Miller
MI-19-011	<i>No significant mineralization</i>						140	-60	161	554686	5533605	Miller
MI-19-012	<i>No significant mineralization</i>						320	-60	236	554786	5533550	Miller
<b>MI-19-013</b>	<b>46.0</b>	<b>228.0</b>	<b>182.0</b>	<b>1.01</b>	<b>1.09</b>	<b>1.09</b>	<b>140</b>	<b>-85</b>	<b>251</b>	<b>554575</b>	<b>5533604</b>	<b>Miller</b>
<i>including</i>	46.0	50.0	4.0	6.44	9.15	9.15						
<i>and incl.</i>	47.0	48.0	1.0	24.37	35.19	35.19						
<i>and incl.</i>	88.0	109.0	21.0	2.71	2.73	2.73						
<i>and incl.</i>	107.0	113.0	6.0	4.24	3.95	3.95						
<i>and incl.</i>	134.0	147.0	13.0	2.69	2.67	2.67						
<b>MI-19-014</b>	<b>3.0</b>	<b>210.0</b>	<b>207.0</b>	<b>1.57</b>	<b>1.57</b>	<b>1.57</b>	<b>140</b>	<b>-85</b>	<b>245</b>	<b>554567</b>	<b>5533581</b>	<b>Miller</b>
<i>including</i>	42.0	91.0	49.0	2.31	2.34	2.34						
<i>and incl.</i>	56.0	70.0	14.0	4.47	4.53	4.53						
<i>and incl.</i>	60.0	61.0	1.0	26.43	<i>n/a</i>	26.43						
<i>and incl.</i>	142.0	183.0	41.0	4.17	4.07	4.07						
<i>and incl.</i>	168.0	182.0	14.0	7.57	7.38	7.38						
<i>and incl.</i>	168.0	169.0	1.0	55.28	<i>n/a</i>	55.28						
<b>MI-19-015</b>	<b>1.0</b>	<b>168.0</b>	<b>167.0</b>	<b>0.97</b>	<b>1.01</b>	<b>1.01</b>	<b>140</b>	<b>-85</b>	<b>224</b>	<b>554551</b>	<b>5533566</b>	<b>Miller</b>
<i>including</i>	1.0	26.0	25.0	1.62	<i>n/a</i>	1.62						
<i>and incl.</i>	5.0	8.0	3.0	5.40	<i>n/a</i>	5.40						
<i>and incl.</i>	108.0	141.0	33.0	1.66	1.84	1.84						
<i>and incl.</i>	120.0	122.0	2.0	5.82	<i>n/a</i>	5.82						
MI-19-016	<i>No significant mineralization</i>						320	-45	278	554525	5533603	Miller

# First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>MI-19-017</b>	<b>6.0</b>	<b>7.0</b>	<b>1.0</b>	<b>1.48</b>	<i>n/a</i>	<b>1.48</b>	<b>140</b>	<b>-85</b>	<b>242</b>	<b>554500</b>	<b>5533516</b>	<b>Miller</b>
<b>and</b>	<b>32.0</b>	<b>201.0</b>	<b>169.0</b>	<b>0.90</b>	<b>0.88</b>	<b>0.88</b>						
<i>including</i>	<i>56.0</i>	<i>93.0</i>	<i>37.0</i>	<i>3.56</i>	<i>3.42</i>	<i>3.42</i>						
<i>and incl.</i>	<i>79.0</i>	<i>93.0</i>	<i>14.0</i>	<i>7.66</i>	<i>7.27</i>	<i>7.27</i>						
<i>and incl.</i>	<i>83.0</i>	<i>84.0</i>	<i>1.0</i>	<i>65.97</i>	<i>n/a</i>	<i>65.97</i>						
<i>and incl.</i>	<i>85.0</i>	<i>86.0</i>	<i>1.0</i>	<i>11.00</i>	<i>n/a</i>	<i>11.00</i>						
<b>MI-19-018</b>	<b>18.0</b>	<b>141.0</b>	<b>123.0</b>	<b>0.88</b>	<b>0.86</b>	<b>0.86</b>	<b>120</b>	<b>-85</b>	<b>212</b>	<b>554471</b>	<b>5533500</b>	<b>Miller</b>
<i>including</i>	<i>67.0</i>	<i>141.0</i>	<i>74.0</i>	<i>1.22</i>	<i>1.18</i>	<i>1.18</i>						
<i>and incl.</i>	<i>100.0</i>	<i>134.0</i>	<i>34.0</i>	<i>2.20</i>	<i>2.08</i>	<i>2.08</i>						
<i>and incl.</i>	<i>105.0</i>	<i>106.0</i>	<i>1.0</i>	<i>6.49</i>	<i>n/a</i>	<i>6.49</i>						
<i>and incl.</i>	<i>113.0</i>	<i>114.0</i>	<i>1.0</i>	<i>12.91</i>	<i>n/a</i>	<i>12.91</i>						
<i>and incl.</i>	<i>129.0</i>	<i>130.0</i>	<i>1.0</i>	<i>26.59</i>	<i>23.96</i>	<i>23.96</i>						
<b>and</b>	<b>168.0</b>	<b>169.0</b>	<b>1.0</b>	<b>4.24</b>	<i>n/a</i>	<b>4.24</b>						
<b>MI-19-019</b>	<b>65.0</b>	<b>101.0</b>	<b>36.0</b>	<b>0.40</b>	<b>0.41</b>	<b>0.41</b>	<b>320</b>	<b>-55</b>	<b>176</b>	<b>554472</b>	<b>5533425</b>	<b>Miller</b>
<i>including</i>	<i>68.0</i>	<i>69.0</i>	<i>1.0</i>	<i>2.78</i>	<i>n/a</i>	<i>2.78</i>						
<i>and incl.</i>	<i>83.0</i>	<i>85.0</i>	<i>2.0</i>	<i>2.09</i>	<i>n/a</i>	<i>2.09</i>						
<i>and incl.</i>	<i>100.0</i>	<i>101.0</i>	<i>1.0</i>	<i>1.88</i>	<i>1.62</i>	<i>1.62</i>						
<b>MI-19-020</b>	<b>133.0</b>	<b>139.0</b>	<b>6.0</b>	<b>1.66</b>	<b>1.77</b>	<b>1.77</b>	<b>290</b>	<b>-55</b>	<b>215</b>	<b>554440</b>	<b>5533387</b>	<b>Miller</b>
<i>including</i>	<i>134.0</i>	<i>135.0</i>	<i>1.0</i>	<i>8.15</i>	<i>n/a</i>	<i>8.15</i>						
<b>MI-19-021</b>	<b>111.0</b>	<b>118.0</b>	<b>7.0</b>	<b>0.98</b>	<b>0.99</b>	<b>0.99</b>	<b>320</b>	<b>-60</b>	<b>173</b>	<b>554396</b>	<b>5533364</b>	<b>Miller</b>
<i>including</i>	<i>112.0</i>	<i>113.0</i>	<i>1.0</i>	<i>4.78</i>	<i>n/a</i>	<i>4.78</i>						
<b>MI-19-022</b>	<b>115.0</b>	<b>122.0</b>	<b>7.0</b>	<b>0.62</b>	<b>0.82</b>	<b>0.82</b>	<b>320</b>	<b>-60</b>	<b>167</b>	<b>554356</b>	<b>5533327</b>	<b>Miller</b>
<i>including</i>	<i>119.0</i>	<i>120.0</i>	<i>1.0</i>	<i>1.56</i>	<i>n/a</i>	<i>1.56</i>						
<i>and incl.</i>	<i>121.0</i>	<i>122.0</i>	<i>1.0</i>	<i>1.18</i>	<i>2.58</i>	<i>2.58</i>						
<b>MI-19-023</b>	<b>127.0</b>	<b>128.0</b>	<b>1.0</b>	<b>0.34</b>	<i>n/a</i>	<b>0.34</b>	<b>320</b>	<b>-60</b>	<b>164</b>	<b>554319</b>	<b>5533298</b>	<b>Miller</b>
<b>and</b>	<b>138.0</b>	<b>139.0</b>	<b>1.0</b>	<b>0.18</b>	<i>n/a</i>	<b>0.18</b>						

# First Mining Gold Corp.

## Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>MI-19-024</b>	<b>85.0</b>	<b>86.0</b>	<b>1.0</b>	<b>0.51</b>	<i>n/a</i>	<b>0.51</b>	<b>320</b>	<b>-60</b>	<b>146</b>	<b>554277</b>	<b>5533273</b>	<b>Miller</b>
<b>and</b>	<b>133.0</b>	<b>140.0</b>	<b>7.0</b>	<b>1.72</b>	<i>n/a</i>	<b>1.72</b>						
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>5.49</i>	<i>n/a</i>	<i>5.49</i>						
<i>and incl.</i>	<i>139.0</i>	<i>140.0</i>	<i>1.0</i>	<i>6.50</i>	<i>n/a</i>	<i>6.50</i>						
<b>MI-19-025</b>	<b>53.0</b>	<b>64.0</b>	<b>11.0</b>	<b>0.61</b>	<i>n/a</i>	<b>0.61</b>	<b>140</b>	<b>-65</b>	<b>176</b>	<b>554220</b>	<b>5533373</b>	<b>Miller</b>
<i>including</i>	<i>58.0</i>	<i>59.0</i>	<i>1.0</i>	<i>1.89</i>	<i>n/a</i>	<i>1.89</i>						
<i>and incl.</i>	<i>63.0</i>	<i>64.0</i>	<i>1.0</i>	<i>4.54</i>	<i>n/a</i>	<i>4.54</i>						
<b>and</b>	<b>84.0</b>	<b>85.0</b>	<b>1.0</b>	<b>1.02</b>	<b>3.86</b>	<b>3.86</b>						
<b>and</b>	<b>101.0</b>	<b>106.0</b>	<b>5.0</b>	<b>0.79</b>	<b>0.81</b>	<b>0.81</b>						
<i>including</i>	<i>104.0</i>	<i>105.0</i>	<i>1.0</i>	<i>2.04</i>	<i>n/a</i>	<i>2.04</i>						
<b>MI-19-026</b>	<b>103.3</b>	<b>107.05</b>	<b>3.8</b>	<b>0.42</b>	<i>n/a</i>	<b>0.42</b>	<b>140</b>	<b>-60</b>	<b>161</b>	<b>554252</b>	<b>5533408</b>	<b>Miller</b>
<i>including</i>	<i>103.3</i>	<i>104.3</i>	<i>1.0</i>	<i>1.26</i>	<i>n/a</i>	<i>1.26</i>						
<b>MI-19-027</b>	<b>21.0</b>	<b>22.0</b>	<b>1.0</b>	<b>1.69</b>	<i>n/a</i>	<b>1.69</b>	<b>140</b>	<b>-60</b>	<b>128</b>	<b>554297</b>	<b>5533437</b>	<b>Miller</b>
<b>and</b>	<b>100.0</b>	<b>107.0</b>	<b>7.0</b>	<b>1.50</b>	<i>n/a</i>	<b>1.50</b>						
<i>including</i>	<i>106.0</i>	<i>107.0</i>	<i>1.0</i>	<i>4.64</i>	<i>n/a</i>	<i>4.64</i>						
<b>MI-19-028</b>	<b>59.0</b>	<b>77.0</b>	<b>18.0</b>	<b>0.81</b>	<i>n/a</i>	<b>0.81</b>	<b>140</b>	<b>-45</b>	<b>125</b>	<b>554297</b>	<b>5533437</b>	<b>Miller</b>
<i>including</i>	<i>59.0</i>	<i>61.0</i>	<i>2.0</i>	<i>1.27</i>	<i>n/a</i>	<i>1.27</i>						
<i>and incl.</i>	<i>69.0</i>	<i>77.0</i>	<i>8.0</i>	<i>1.48</i>	<i>n/a</i>	<i>1.48</i>						
<i>and incl.</i>	<i>70.0</i>	<i>71.0</i>	<i>1.0</i>	<i>7.51</i>	<i>n/a</i>	<i>7.51</i>						
<b>MI-19-029</b>	<b>147.0</b>	<b>172.0</b>	<b>25.0</b>	<b>0.12</b>	<i>n/a</i>	<b>0.12</b>	<b>135</b>	<b>-70</b>	<b>203</b>	<b>554335</b>	<b>5533480</b>	<b>Miller</b>
<b>MI-19-030</b>	<b>36.0</b>	<b>40.0</b>	<b>4.0</b>	<b>4.03</b>	<i>n/a</i>	<b>4.03</b>	<b>140</b>	<b>-45</b>	<b>113</b>	<b>554335</b>	<b>5533480</b>	<b>Miller</b>
<i>including</i>	<i>38.0</i>	<i>39.0</i>	<i>1.0</i>	<i>15.33</i>	<i>n/a</i>	<i>15.33</i>						
<b>and</b>	<b>48.0</b>	<b>83.0</b>	<b>35.0</b>	<b>0.25</b>	<i>n/a</i>	<b>0.25</b>						
<i>including</i>	<i>61.0</i>	<i>63.0</i>	<i>2.0</i>	<i>1.62</i>	<i>n/a</i>	<i>1.62</i>						
MI-19-031	<i>No significant mineralization</i>						<b>315</b>	<b>-45</b>	<b>185</b>	<b>554273</b>	<b>5533529</b>	<b>Miller</b>

# First Mining Gold Corp.

## Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>MI-19-032</b>	<b>39.0</b>	<b>143.0</b>	<b>104.0</b>	<b>0.23</b>	<b>0.25</b>	<b>0.25</b>	<b>0</b>	<b>-90</b>	<b>212</b>	<b>554367</b>	<b>5533434</b>	<b>Miller</b>
<i>including</i>	<i>60.0</i>	<i>80.0</i>	<i>20.0</i>	<i>0.40</i>	<i>n/a</i>	<i>0.40</i>						
<i>and incl.</i>	<i>79.0</i>	<i>80.0</i>	<i>1.0</i>	<i>3.56</i>	<i>n/a</i>	<i>3.56</i>						
<i>and incl.</i>	<i>107.0</i>	<i>143.0</i>	<i>36.0</i>	<i>0.34</i>	<i>0.38</i>	<i>0.38</i>						
<i>and incl</i>	<i>126.0</i>	<i>127.0</i>	<i>1.0</i>	<i>5.50</i>	<i>n/a</i>	<i>5.50</i>						
MI-19-033	<i>No significant mineralization</i>						0	-90	155	554306	5533372	Miller
<b>MI-19-034</b>	<b>129.0</b>	<b>141.0</b>	<b>12.0</b>	<b>1.55</b>	<b>1.62</b>	<b>1.62</b>	<b>0</b>	<b>-90</b>	<b>179</b>	<b>554251</b>	<b>5533338</b>	<b>Miller</b>
<i>including</i>	<i>133.0</i>	<i>134.0</i>	<i>1.0</i>	<i>17.24</i>	<i>18.07</i>	<i>18.07</i>						
MI-19-035	<i>No significant mineralization</i>						325	-45	200	554240	5533232	Miller
MI-19-036	<i>No significant mineralization</i>						325	-65	197	554240	5533232	Miller
<b>MI-19-037</b>	<b>127.0</b>	<b>142.0</b>	<b>15.0</b>	<b>0.17</b>	<i>n/a</i>	<b>0.17</b>	<b>27</b>	<b>-45</b>	<b>287</b>	<b>554845</b>	<b>5533592</b>	<b>Miller</b>
<i>including</i>	<i>135.0</i>	<i>136.0</i>	<i>1.0</i>	<i>1.11</i>	<i>n/a</i>	<i>1.11</i>						
<b>MI-19-038</b>	<b>29.0</b>	<b>29.32</b>	<b>0.3</b>	<b>0.49</b>	<i>n/a</i>	<b>0.49</b>	<b>106</b>	<b>-45</b>	<b>185</b>	<b>554843</b>	<b>5533591</b>	<b>Miller</b>
MI-19-039	<i>No significant mineralization</i>						108	-45	185	554614	5533526	Miller
<b>MI-19-040</b>	<b>60.0</b>	<b>119.0</b>	<b>59.0</b>	<b>0.64</b>	<b>1.35</b>	<b>1.35</b>	<b>287</b>	<b>-45</b>	<b>212</b>	<b>554616</b>	<b>5533525</b>	<b>Miller</b>
<i>including</i>	<i>60.0</i>	<i>93.0</i>	<i>33.0</i>	<i>0.96</i>	<i>2.23</i>	<i>2.23</i>						
<i>and incl.</i>	<i>60.0</i>	<i>62.0</i>	<i>2.0</i>	<i>5.91</i>	<i>n/a</i>	<i>5.91</i>						
<i>and incl.</i>	<i>78.0</i>	<i>93.0</i>	<i>15.0</i>	<i>1.09</i>	<i>3.88</i>	<i>3.88</i>						
<i>and incl.</i>	<i>80.88</i>	<i>81.88</i>	<i>1.0</i>	<i>0.49</i>	<i>6.83</i>	<i>6.83</i>						
<i>and incl.</i>	<i>86.88</i>	<i>87.88</i>	<i>1.0</i>	<i>8.55</i>	<i>44.07</i>	<i>44.07</i>						
GL-19-001	<i>No significant mineralization</i>						0	-45	161	546604	5527909	New Target
GL-19-002	<i>No significant mineralization</i>						34	-45	170	546604	5527909	New Target

# First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>GL-19-003</b>	<b>23.57</b>	<b>25.00</b>	<b>1.43</b>	<b>14.85</b>	<b>10.91</b>	<b>10.91</b>	<b>335</b>	<b>-74</b>	<b>197</b>	<b>547642</b>	<b>5528090</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>44.00</b>	<b>47.00</b>	<b>3.00</b>	<b>0.62</b>	<i>n/a</i>	<b>0.62</b>						
<i>including</i>	<i>45.00</i>	<i>46.00</i>	<i>1.00</i>	<i>1.51</i>	<i>n/a</i>	<i>1.51</i>						
<b>and</b>	<b>72.10</b>	<b>74.10</b>	<b>2.00</b>	<b>0.25</b>	<i>n/a</i>	<b>0.25</b>						
<b>and</b>	<b>102.40</b>	<b>107.46</b>	<b>5.06</b>	<b>0.95</b>	<i>n/a</i>	<b>0.95</b>						
<i>including</i>	<i>106.62</i>	<i>107.46</i>	<i>0.84</i>	<i>4.57</i>	<i>n/a</i>	<i>4.57</i>						
<b>GL-19-004</b>	<b>32.86</b>	<b>36.21</b>	<b>3.35</b>	<b>1.28</b>	<i>n/a</i>	<b>1.28</b>	<b>335</b>	<b>-84</b>	<b>257</b>	<b>547642</b>	<b>5528090</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>51.90</b>	<b>55.05</b>	<b>3.15</b>	<b>0.60</b>	<i>n/a</i>	<b>0.60</b>						
<b>and</b>	<b>149.91</b>	<b>155.00</b>	<b>5.09</b>	<b>1.72</b>	<i>n/a</i>	<b>1.72</b>						
<i>including</i>	<i>149.91</i>	<i>151.00</i>	<i>1.09</i>	<i>4.73</i>	<i>n/a</i>	<i>4.73</i>						
<b>and</b>	<b>166.00</b>	<b>172.00</b>	<b>6.00</b>	<b>1.57</b>	<i>n/a</i>	<b>1.57</b>						
<i>including</i>	<i>166.00</i>	<i>167.00</i>	<i>1.00</i>	<i>3.03</i>	<i>n/a</i>	<i>3.03</i>						
<i>and incl.</i>	<i>170.00</i>	<i>172.00</i>	<i>2.00</i>	<i>2.47</i>	<i>n/a</i>	<i>2.47</i>						
<b>GL-19-005</b>	<b>58.90</b>	<b>64.00</b>	<b>5.10</b>	<b>0.33</b>	<i>n/a</i>	<b>0.33</b>	<b>335</b>	<b>-77</b>	<b>242</b>	<b>547702</b>	<b>5528089</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>83.00</b>	<b>84.00</b>	<b>1.00</b>	<b>0.30</b>	<i>n/a</i>	<b>0.30</b>						
<b>and</b>	<b>133.00</b>	<b>135.00</b>	<b>2.00</b>	<b>1.98</b>	<i>n/a</i>	<b>1.98</b>						
<i>including</i>	<i>133.00</i>	<i>134.00</i>	<i>1.00</i>	<i>3.58</i>	<i>n/a</i>	<i>3.58</i>						
<b>and</b>	<b>169.30</b>	<b>174.00</b>	<b>4.70</b>	<b>1.05</b>	<i>n/a</i>	<b>1.05</b>						
<i>including</i>	<i>172.21</i>	<i>174.00</i>	<i>1.79</i>	<i>2.40</i>	<i>n/a</i>	<i>2.40</i>						
<b>and</b>	<b>189.00</b>	<b>195.00</b>	<b>6.00</b>	<b>0.52</b>	<i>n/a</i>	<b>0.52</b>						

# First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>GL-19-006</b>	<b>82.00</b>	<b>86.00</b>	<b>4.00</b>	<b>3.08</b>	n/a	<b>3.08</b>	<b>335</b>	<b>-86</b>	<b>167</b>	<b>547702</b>	<b>5528089</b>	<b>Main Zone (Zone 2)</b>
<i>including</i>	83.00	85.00	2.00	5.72	n/a	5.72						
<i>and incl.</i>	83.00	83.67	0.67	9.53	n/a	9.53						
<b>and</b>	<b>107.00</b>	<b>114.00</b>	<b>7.00</b>	<b>0.96</b>	n/a	<b>0.96</b>						
<i>including</i>	107.00	108.00	1.00	3.14	n/a	3.14						
<i>and incl.</i>	112.00	114.00	2.00	1.63	n/a	1.63						
<b>and</b>	<b>134.00</b>	<b>134.50</b>	<b>0.50</b>	<b>1.80</b>	n/a	<b>1.80</b>						
<b>and</b>	<b>137.54</b>	<b>137.85</b>	<b>0.31</b>	<b>5.13</b>	n/a	<b>5.13</b>						
<b>and</b>	<b>147.76</b>	<b>148.09</b>	<b>0.33</b>	<b>48.03</b>	n/a	<b>48.03</b>						
<b>GL-19-008</b>	<b>1.40</b>	<b>25.00</b>	<b>23.60</b>	<b>0.33</b>	n/a	<b>0.33</b>	<b>335</b>	<b>-85</b>	<b>125</b>	<b>547722</b>	<b>5528154</b>	<b>Main Zone (Zone 2)</b>
<i>including</i>	10.00	16.00	6.00	1.06	n/a	1.06						
<i>and incl.</i>	13.00	15.00	2.00	1.90	n/a	1.90						
<b>and</b>	<b>57.00</b>	<b>66.00</b>	<b>9.00</b>	<b>0.82</b>	n/a	<b>0.82</b>						
<b>and</b>	<b>83.00</b>	<b>104.00</b>	<b>21.00</b>	<b>6.49</b>	<b>5.36</b>	<b>5.36</b>						
<i>including</i>	88.00	89.00	1.00	5.49	n/a	5.49						
<i>and incl.</i>	96.00	97.00	1.00	113.43	89.60	89.60						
<b>GL-19-010</b>	<b>69.00</b>	<b>84.00</b>	<b>15.00</b>	<b>1.68</b>	n/a	<b>1.68</b>	<b>335</b>	<b>-77</b>	<b>176</b>	<b>547746</b>	<b>5528102</b>	<b>Main Zone (Zone 2, 3)</b>
<i>including</i>	69.00	70.00	1.00	8.02	n/a	8.02						
<i>and incl.</i>	71.00	72.00	1.00	4.86	n/a	4.86						
<i>and incl.</i>	80.00	81.00	1.00	4.89	n/a	4.89						
<b>and</b>	<b>143.00</b>	<b>148.00</b>	<b>5.00</b>	<b>1.26</b>	n/a	<b>1.26</b>						
<i>including</i>	147.00	148.00	1.00	5.24	n/a	5.24						
<b>and</b>	<b>167.00</b>	<b>175.00</b>	<b>8.00</b>	<b>0.97</b>	n/a	<b>0.97</b>						

**First Mining Gold Corp.**

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>GL-19-012</b>	<b>9.40</b>	<b>9.71</b>	<b>0.31</b>	<b>0.69</b>	n/a	<b>0.69</b>	<b>335</b>	<b>-73</b>	<b>182</b>	<b>547774</b>	<b>5528162</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>48.00</b>	<b>65.00</b>	<b>17.00</b>	<b>1.11</b>	n/a	<b>1.11</b>						
<i>including</i>	<i>48.00</i>	<i>53.00</i>	<i>5.00</i>	<i>2.27</i>	<i>n/a</i>	<i>2.27</i>						
<i>and incl.</i>	<i>48.00</i>	<i>49.00</i>	<i>1.00</i>	<i>4.14</i>	<i>n/a</i>	<i>4.14</i>						
<b>and</b>	<b>86.00</b>	<b>87.00</b>	<b>1.00</b>	<b>3.59</b>	n/a	<b>3.59</b>						
<b>and</b>	<b>96.00</b>	<b>97.00</b>	<b>1.00</b>	<b>0.98</b>	n/a	<b>0.98</b>						
<b>and</b>	<b>103.00</b>	<b>104.00</b>	<b>1.00</b>	<b>0.74</b>	n/a	<b>0.74</b>						
<b>GL-19-013</b>	<b>32.00</b>	<b>34.00</b>	<b>2.00</b>	<b>0.66</b>	n/a	<b>0.66</b>	<b>335</b>	<b>-62</b>	<b>101</b>	<b>547774</b>	<b>5528162</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>63.00</b>	<b>77.00</b>	<b>14.00</b>	<b>1.15</b>	n/a	<b>1.15</b>						
<i>including</i>	<i>70.00</i>	<i>77.00</i>	<i>7.00</i>	<i>2.20</i>	<i>n/a</i>	<i>2.20</i>						
<i>and incl.</i>	<i>70.00</i>	<i>71.00</i>	<i>1.00</i>	<i>5.32</i>	<i>n/a</i>	<i>5.32</i>						
<i>and incl.</i>	<i>75.00</i>	<i>76.00</i>	<i>1.00</i>	<i>9.42</i>	<i>n/a</i>	<i>9.42</i>						
<b>GL-19-014</b>	<b>25.00</b>	<b>27.00</b>	<b>2.00</b>	<b>0.75</b>	n/a	<b>0.75</b>	<b>335</b>	<b>-45</b>	<b>95</b>	<b>547774</b>	<b>5528162</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>36.00</b>	<b>37.00</b>	<b>1.00</b>	<b>4.07</b>	n/a	<b>4.07</b>						
<b>and</b>	<b>56.00</b>	<b>58.00</b>	<b>2.00</b>	<b>0.71</b>	n/a	<b>0.71</b>						
<b>GL-19-021</b>	<b>139.00</b>	<b>140.00</b>	<b>1.00</b>	<b>9.19</b>	n/a	<b>9.19</b>	<b>0</b>	<b>-90</b>	<b>386</b>	<b>546100</b>	<b>5527506</b>	<b>Main Zone (Zone 3)</b>
<b>and</b>	<b>188.00</b>	<b>191.00</b>	<b>3.00</b>	<b>3.20</b>	n/a	<b>3.20</b>						
<b>including</b>	<b>188.00</b>	<b>189.00</b>	<b>1.00</b>	<b>6.54</b>	n/a	<b>6.54</b>						
<i>and</i>	<i>286.00</i>	<i>288.61</i>	<i>2.61</i>	<i>1.97</i>	<i>n/a</i>	<i>1.97</i>						
<i>including</i>	<i>286.00</i>	<i>286.70</i>	<i>0.70</i>	<i>6.64</i>	<i>n/a</i>	<i>6.64</i>						
GL-19-022	<i>No significant mineralization</i>						<b>0</b>	<b>-50</b>	<b>173</b>	<b>546100</b>	<b>5527506</b>	<b>Main Zone (Zone 2, 3)</b>
<b>GL-19-034</b>	<b>25.94</b>	<b>27.17</b>	<b>1.23</b>	<b>8.63</b>	n/a	<b>8.63</b>	<b>335</b>	<b>-45</b>	<b>74</b>	<b>547774</b>	<b>5528162</b>	<b>Main Zone (Zone 2)</b>
<b>and</b>	<b>30.72</b>	<b>31.20</b>	<b>0.48</b>	<b>1.81</b>	n/a	<b>1.81</b>						
<i>and</i>	<i>53.00</i>	<i>55.00</i>	<i>2.00</i>	<i>1.46</i>	<i>n/a</i>	<i>1.46</i>						
<i>and</i>	<i>60.00</i>	<i>62.00</i>	<i>2.00</i>	<i>3.40</i>	<i>n/a</i>	<i>3.40</i>						

# First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
GL-20-001	<i>No significant mineralization</i>						0	-90	314	546099	5527538	Main Zone (Zone 3)
GL-20-002	<i>No significant mineralization</i>						0	-90	293	546150	5527548	Main Zone (Zone 3)
GL-20-003	<i>No significant mineralization</i>						0	-90	206	546150	5527576	Main Zone (Zone 3)
GL-20-004	<i>No significant mineralization</i>						0	-55	194	546150	5527576	Main Zone (Zone 2)
<b>GL-20-005</b>	<b>52.13</b>	<b>57.07</b>	<b>4.94</b>	<b>0.38</b>	<i>n/a</i>	<b>0.38</b>	<b>0</b>	<b>-90</b>	<b>188</b>	<b>546200</b>	<b>5527550</b>	<b>Main Zone (Zone 3)</b>
<i>and</i>	<i>60.00</i>	<i>94.57</i>	<i>34.57</i>	<i>0.28</i>	<i>n/a</i>	<i>0.28</i>						
<b>GL-20-006</b>	<b>153.00</b>	<b>211.00</b>	<b>58.00</b>	<b>0.88</b>	<b>0.83</b>	<b>0.83</b>	<b>0</b>	<b>-90</b>	<b>221</b>	<b>546200</b>	<b>5527525</b>	<b>Main Zone (Zone 3)</b>
<i>including</i>	<i>153.00</i>	<i>166.00</i>	<i>13.00</i>	<i>2.10</i>	<i>n/a</i>	<i>2.10</i>						
<b>and incl.</b>	<b>161.00</b>	<b>162.00</b>	<b>1.00</b>	<b>12.07</b>	<i>n/a</i>	<b>12.07</b>						
<b>and incl.</b>	<b>165.00</b>	<b>166.00</b>	<b>1.00</b>	<b>5.10</b>	<i>n/a</i>	<b>5.10</b>						
<i>and incl.</i>	<i>202.00</i>	<i>211.00</i>	<i>9.00</i>	<i>1.94</i>	<i>1.67</i>	<i>1.67</i>						
<b>and incl.</b>	<b>208.00</b>	<b>209.00</b>	<b>1.00</b>	<b>11.37</b>	<b>9.00</b>	<b>9.00</b>						
GL-20-007	<i>No significant mineralization</i>						0	-90	83	546250	5527530	Main Zone (Zone 3)
<b>GL-20-008</b>	<b>94.00</b>	<b>95.00</b>	<b>1.00</b>	<b>2.74</b>	<i>n/a</i>	<b>2.74</b>	<b>0</b>	<b>-90</b>	<b>203</b>	<b>546250</b>	<b>5527530</b>	<b>Main Zone (Zone 3)</b>
<i>and</i>	<i>123.00</i>	<i>167.00</i>	<i>44.00</i>	<i>0.27</i>	<i>n/a</i>	<i>0.27</i>						
<i>including</i>	<i>147.00</i>	<i>166.00</i>	<i>19.00</i>	<i>0.47</i>	<i>n/a</i>	<i>0.47</i>						
<b>and incl.</b>	<b>147.00</b>	<b>148.00</b>	<b>1.00</b>	<b>1.64</b>	<i>n/a</i>	<b>1.64</b>						
<b>and incl.</b>	<b>165.00</b>	<b>166.00</b>	<b>1.00</b>	<b>2.19</b>	<i>n/a</i>	<b>2.19</b>						
<i>and</i>	<i>175.00</i>	<i>176.00</i>	<i>1.00</i>	<i>1.33</i>	<i>n/a</i>	<i>1.33</i>						
<b>GL-20-009</b>	<b>37.00</b>	<b>100.00</b>	<b>63.00</b>	<b>0.33</b>	<b>0.27</b>	<b>0.27</b>	<b>0</b>	<b>-90</b>	<b>125</b>	<b>546250</b>	<b>5527555</b>	<b>Main Zone (Zone 3)</b>
<i>including</i>	<i>80.00</i>	<i>100.00</i>	<i>20.00</i>	<i>0.70</i>	<i>0.52</i>	<i>0.52</i>						
<b>and incl.</b>	<b>99.00</b>	<b>100.00</b>	<b>1.00</b>	<b>11.36</b>	<b>7.90</b>	<b>7.90</b>						



# First Mining Gold Corp.

Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>GL-20-010</b>	<b>119.00</b>	<b>122.00</b>	<b>3.00</b>	<b>3.06</b>	<i>n/a</i>	<b>3.06</b>	<b>0</b>	<b>-90</b>	<b>218</b>	<b>546295</b>	<b>5527527</b>	<b>Main Zone</b> (Zone 3)
<i>including</i>	<b>120.00</b>	<b>121.00</b>	<b>1.00</b>	<b>7.86</b>	<i>n/a</i>	<b>7.86</b>						
<i>and</i>	<b>148.00</b>	<b>192.00</b>	<b>44.00</b>	<b>1.26</b>	<b>1.20</b>	<b>1.20</b>						
<i>including</i>	<b>152.00</b>	<b>153.00</b>	<b>1.00</b>	<b>6.70</b>	<i>n/a</i>	<b>6.70</b>						
<i>and incl.</i>	<i>166.00</i>	<i>183.00</i>	<i>17.00</i>	<i>2.08</i>	<i>1.94</i>	<i>1.94</i>						
<i>and incl.</i>	<b>182.00</b>	<b>183.00</b>	<b>1.00</b>	<b>18.28</b>	<b>15.90</b>	<b>15.90</b>						
<i>and</i>	<i>199.00</i>	<i>210.00</i>	<i>11.00</i>	<i>0.26</i>	<i>n/a</i>	<i>0.26</i>						
<i>including</i>	<i>209.00</i>	<i>210.00</i>	<i>1.00</i>	<i>1.72</i>	<i>n/a</i>	<i>1.72</i>						
<b>GL-20-011</b>	<b>88.00</b>	<b>130.00</b>	<b>42.00</b>	<b>0.26</b>	<i>n/a</i>	<b>0.26</b>	<b>0</b>	<b>-75</b>	<b>164</b>	<b>546295</b>	<b>5527527</b>	<b>Main Zone</b> (Zone 3)
<i>including</i>	<i>88.00</i>	<i>107.00</i>	<i>19.00</i>	<i>0.54</i>	<i>n/a</i>	<i>0.54</i>						
<i>and incl.</i>	<i>93.00</i>	<i>99.00</i>	<i>6.00</i>	<i>1.03</i>	<i>n/a</i>	<i>1.03</i>						
<b>GL-20-012</b>	<b>12.00</b>	<b>102.00</b>	<b>90.00</b>	<b>0.31</b>	<i>n/a</i>	<b>0.31</b>	<b>0</b>	<b>-90</b>	<b>263</b>	<b>546350</b>	<b>5527559</b>	<b>Main Zone</b> (Zone 3)
<i>including</i>	<b>19.00</b>	<b>23.00</b>	<b>4.00</b>	<b>1.10</b>	<i>n/a</i>	<b>1.10</b>						
<i>and</i>	<i>175.00</i>	<i>225.00</i>	<i>50.00</i>	<i>0.14</i>	<i>n/a</i>	<i>0.14</i>						
<b>GL-20-013</b>	<b>17.00</b>	<b>61.00</b>	<b>44.00</b>	<b>0.27</b>	<i>n/a</i>	<b>0.27</b>	<b>0</b>	<b>-55</b>	<b>122</b>	<b>546350</b>	<b>5527559</b>	<b>Main Zone</b> (Zone 3)
<i>including</i>	<b>20.00</b>	<b>21.00</b>	<b>1.00</b>	<b>1.21</b>	<i>n/a</i>	<b>1.21</b>						
<i>and incl.</i>	<i>54.00</i>	<i>58.00</i>	<i>4.00</i>	<i>0.67</i>	<i>n/a</i>	<i>0.67</i>						
<b>GL-20-014</b>	<b>1.15</b>	<b>29.00</b>	<b>27.85</b>	<b>0.42</b>	<i>n/a</i>	<b>0.42</b>	<b>0</b>	<b>-90</b>	<b>188</b>	<b>546400</b>	<b>5527566</b>	<b>Main Zone</b> (Zone 3)
<i>including</i>	<i>2.00</i>	<i>3.00</i>	<i>1.00</i>	<i>2.92</i>	<i>n/a</i>	<i>2.92</i>						
<i>and incl.</i>	<i>16.00</i>	<i>17.00</i>	<i>1.00</i>	<i>1.75</i>	<i>n/a</i>	<i>1.75</i>						
<i>and incl.</i>	<i>27.00</i>	<i>28.00</i>	<i>1.00</i>	<i>1.52</i>	<i>n/a</i>	<i>1.52</i>						
<i>and</i>	<i>41.00</i>	<i>123.00</i>	<i>82.00</i>	<i>0.10</i>	<i>n/a</i>	<i>0.10</i>						
<i>and</i>	<i>131.00</i>	<i>140.00</i>	<i>9.00</i>	<i>0.25</i>	<i>n/a</i>	<i>0.25</i>						
<i>and</i>	<i>158.00</i>	<i>166.00</i>	<i>8.00</i>	<i>0.32</i>	<i>n/a</i>	<i>0.32</i>						

# First Mining Gold Corp.

## Goldlund Project - 2019 and 2020 Drill Results



Hole ID	From (m)	To (m)	Length (m)	Au g/t Fire Assay	Au g/t with Metallics	Au g/t Final*	Hole Azimuth °	Hole Dip °	Final Depth (m)	Collar UTM East	Collar UTM North	Target
<b>GL-20-015</b>	<b>10.00</b>	<b>171.00</b>	<b>161.00</b>	<b>0.12</b>	n/a	<b>0.12</b>	<b>0</b>	<b>-90</b>	<b>191</b>	<b>546388</b>	<b>5527591</b>	<b>Main Zone (Zone 3)</b>
<i>including</i>	<i>87.00</i>	<i>88.00</i>	<i>1.00</i>	<i>1.29</i>	<i>n/a</i>	<i>1.29</i>						
<i>and incl.</i>	<i>102.00</i>	<i>115.00</i>	<i>13.00</i>	<i>0.20</i>	<i>n/a</i>	<i>0.20</i>						
<i>and incl.</i>	<i>140.00</i>	<i>171.00</i>	<i>31.00</i>	<i>0.22</i>	<i>n/a</i>	<i>0.22</i>						
<i>and incl.</i>	<i>164.00</i>	<i>171.00</i>	<i>7.00</i>	<i>0.52</i>	<i>n/a</i>	<i>0.52</i>						
<i>and incl.</i>	<i>164.00</i>	<i>165.00</i>	<i>1.00</i>	<i>2.57</i>	<i>n/a</i>	<i>2.57</i>						
GL-20-016	No significant mineralization						0	-70	206	546338	5527332	Main Zone (Zone 4)

**\*Notes:**

- Assaying for the Miller drill program was completed by SGS Canada Inc. ("SGS") at their laboratory in Lakefield, Ontario. Assaying for the Main Zone drill program was completed by SGS at their laboratories in Red Lake, Ontario and Vancouver, BC. Prepared 50 g samples were analyzed for gold by lead fusion fire assay with an atomic absorption spectrometry ("AAS") finish. Multi-element analysis was also completed on selected holes by two-acid aqua regia digestion with ICP-MS and AES finish.
- Reported widths are drilled core lengths; true widths are unknown at this time. Assay values are uncut.
- Final collar coordinates surveyed by differential GPS.
- Intervals for Miller holes MI-19-013 through MI-19-015, MI-19-017 through MI-19-022, MI-19-025, MI-19-032, MI-19-034 and MI-19-040, and Goldlund Main Zone holes GL-19-003, GL-19-008, GL-20-006, GL-20-009 and GL-20-010 include results of selected assay repeats. These repeats were done by screened metallic fire assay on 1 kg size samples at the SGS laboratories in Lakefield and Vancouver. Final Au grade includes results of metallic screen fire assay reruns ("metallics"), where completed.